

# **QUIN 04S Mini Printer User Guide**

Home » QUIN » QUIN 04S Mini Printer User Guide


# Contents

- 1 QUIN 04S Mini Printer User Guide
- 2 Packing list
- 3 Machine description
- 4 APP download method
- 5 App connection method
- 6 How to replace the printing paper
- 7 Warranty description
- 8 After-sales information
- 9 Warranty card
- 10 Phomemo official printing paper type
- 11 Specific function operation guidelines
  - 11.1 Picture printing operation guidelines
  - 11.2 Label box operation guidelines
    - 11.2.1 The categories and functions of the label box are as follows:
    - 11.2.2 Function introduction
    - 11.2.3 Operation method
  - 11.3 Material library operation guidelines
  - 11.4 Windows application document printing operation guidelines
- 12 Common problems and solutions
- **13 FCC STATEMENT**
- 14 Read More About This Manual & Download PDF:
- 15 Documents / Resources
  - 15.1 References

**QUIN 04S Mini Printer User Guide** 



Packing list



power cord\*1



printing paper\*1 roll.



paper holder baffle\*1.



Manual\*1



# **Machine description**

	Green lighting form	Standby/Charging completed
Power indicator status description:	Green flashing	Charging
	Red lighting form	Fault: out of paper/overheated
	Red flashing	Out of power

# **Precautions**

- 1. Please gently insert or unplug the charging cable when charging, to prevent excessive force from damaging the port.
- 2. After the charging is completed, please unplug the charging cable in time.
- 3. In order to avoid danger, do not use or charge in the environment of high temperature, high humidity, heavy smoke, and dust, such as in the bathroom, steam room, near to open flame, etc.
- 4. Improper charging may cause damage to the print head.
- 5. Do not touch the print head to prevent scalding caused by overheating.
- 6. The tearing blade is sharp, please be careful to avoid touching it by mistake.
- 7. If the machine is malfunctioning, insert the reset hole to restart the machine.

## **Battery warning instructions**

- \* It is forbidden to disassemble, hit, squeeze the battery, or throw it into the fire;
- \* If severe swelling occurs, please do not reuse it;
- \* Do not place in a high-temperature environment, and it is strictly prohibited to use the battery after soaking in water;
- \* There is a danger of explosion if the battery is replaced by the wrong type. Be sure to dispose of the used battery according to the instructions;
- \* If consumers use a power adapter for power supply, they should purchase a power adapter that meets the requirements of corresponding safety standards or a power adapter with CCC certification.

### **Using Guide**

#### APP download method

Please search for "Phomemo" in the APP store, download and install it.

Search for Phomemo in the Apple App Store, click to download and install; Search for Phomemo in the Google App Store, click to download and install;

#### App connection method

- 1. Please charge the printer for the first use, and then press and hold the power button for about 3 seconds to turn it on:
- 2. Connect the machine


#### Method 1:

Turn on the Bluetooth of a phone  $\rightarrow$  open the Phomemo APP  $\rightarrow$  click the icon in the upper right corner of the Phomemo APP main interface  $\rightarrow$  select M02S in the list to connect  $\rightarrow$  complete the machine connection;


### Method 2:

After starting up, double-click the start-up button printing QR code → scan the code in the Phomemo APP to connect; Tips: User can view the usage tutorial in the APP, and connect the machine according to video operation.


#### How to replace the printing paper



# Open the top cover and take out printing paper.



Remove the adjuster on the right side. 3. Load the printing paper. 4. Install the adjuster on the right side.



5 Put the printing paper into the paper compartment of the machine and close the top cover

### \*Tips: How to distinguish the front and back of printing paper

① Take out a printing paper and use your nails to scratch the paper firmly, and then install with the color side up; ② Please make sure that the smooth surface is facing up and aligned with the printing port;

## **Product warranty description**

# Warranty description

100% warranty within 1 year

\* Although the product has undergone strict testing and quality inspection, accidents may occur during transportation, resulting in damages to the machine. If there is any problem with the printer, please contact us through the following methods. We have a quick response after-sales team to solve the problem professionally.

\* If the problem is still not solved through our joint efforts, we will replace you with a new machine for free, and you need not pay any fees. Your satisfaction makes us advance.

### **After-sales information**

OnlineContact information:

Whatsapp: +86 13928088284 / +86 15338193665 Skype: Phomemo Team-Jessie / Phomemo Team-Helen

Customer Service phone number: +1 855 957 5321(the US only) Service time: Mon-Fri 9AM-5PM (EST) for any questions & suggestions.

Email address: <a href="mailto:support@phomemo.com">support@phomemo.com</a>
Official Website: <a href="mailto:support@phomemo.com">swww.phomemo.com</a>

Please search for "Phomemo" to get the printer operation guide

# Warranty card

Return
Exchange
Repair

User Info.	Name: Sex: Phone:			
OSEI IIIIO.	Address:			
	Purchase date:			
Product Info.	Product order number:			
	Product Serial Number:			
Requirements of return/replac ement/repair	Reason description:			
	Failure condition: Maintenance person:			
Maintenance records	Handling situation: Delivery date:			
	Maintenance ticket number: Delivery date:			

#### **Product certification**

Inspector: Delivery date:

# Phomemo official printing paper type

- ①Tri-proof thermo-sensitive paper No bisphenol-A contained. Have a certain degree of scratch resistance. The image retention is up to 7 or 10 years.
- <sup>2</sup>Colored paper No bisphenol-A contained. Include yellow, pink, and blue paper. Image retention is up to 5 years.
- 3Adhesive paper

No bisphenol-A contained. The printing paper has adhesiveness on one side, which can be directly pasted and used. The image retention is up to 10 years.

No bisphenol-A contained. Water-proof, oil-proof, and scratch-resistant; excellent photo-taking effect. The image retention is up to 15 years.

- \* The above-mentioned printing paper is the official consumable of Phomemo.
- \* If you fail to use the official consumables, causing the printer to malfunction, you will not be entitled to enjoy the "three guarantees" policy.

#### Operation guide

# Specific function operation guidelines

#### Picture printing operation guidelines

#### Steps:

- ①Select the "Picture Print" function in Phomemo APP
- ②Add the photos you need to print
- 3 Set the picture in the work bar area. You can change the picture, modify the picture, adjust the brightness, contrast, or rotate and crop the picture.
- Select the "Print" button in the lower right corner to complete picture printing

#### Label box operation guidelines

The categories and functions of the label box are as follows:

Label box		
Category	Sub-type	Printable width of label
Home storage  Food classification in refrigerator/expiration reminder mark, wardro orage box classification mark, kitchen utensil classification mark, being classification mark, family medicine box classification mark, a con item classification mark, folder classification mark, etc.		
Exquisite life	Hot and cold distinction mark, snack date/component mark, etc.	
Creative	Gift creative stickers, photo album date/decorative	
decoration	stickers, item name stickers, hand account decoration	15mm, 25mm
Maternal and chil d label	Baby medicine classification mark, baby food mark, baby common item classification mark, baby stock classification mark, etc.	
Medicine box ide ntification	Labels for internal medicines for reducing fire, cooling, and fever; labels for conventional colds; antibacterial internal medicines; repetitive tool labels; disposable tool labels; anti-inflammatory and disinfectant extern al application labels; other internal medicine labels, etc.	

#### **Function introduction**

When you need to print 15mm or 25mm labels, please select the "Label Box" function in the Phomemo APP, and do DIY (Do It Yourself) under this function to make all kinds of labels that meet your preferences.

#### Operation method

① In the "function area", make the DIY design of the label according to individual needs.

Features	Instructions
Select border	Select any type of border of the printed label to insert this border into the editing a rea;
Insert text	Select the "insert text" option to insert the text box into the text for editing, and you can edit any content;
Insert sticker	Select the "Insert Sticker" option to insert any sticker into the text to decorate the printing area;
Label settings	Click this function to select the length, width, and alignment of the printed label;

②Select the Print or Save function in the "editing area" to complete the output or storage of the design, and view

the historical editing records in the "History" function.

**Tips:** You can view the usage tutorial in the APP, and connect the machine according to the video operation.

#### Material library operation guidelines

There are a large number of hand-painted original materials in the material library. Various personalized editing can be performed under this function. The operation steps are as follows.

- ①Select the "Material" function in Phomemo APP
- ②Click any material to enter the editing area
- ③In the "Functional Area", you can add text, tables, pictures, stickers, and QR code functions for personalized editing, and the edited content will be displayed in the "Editing Area".

Features	Instructions
Text	Select the "Text" option to insert a text box into the body for editing, and you can e dit any content; font and alignment are optional;
Form	Select the "Form" option to insert a table into the editing area for editing;
Image	Select the "Image" option to insert a picture into the editing area for editing or printing;
Emoji	Select the "Emoji" option to insert an emoji into the editing area for editing or printing;
QR code	Select the "QR code" option to enter the editing area, you can enter any text, and t he entered text will be output in the form of a QR code;

After editing the content, click the print icon in the upper right corner to complete printing.

Tips: You can view the operating tutorial in the APP, and connect the machine according to the video tutorial.

# Windows application document printing operation guidelines

Select the "Web Print" function in the Phomeomo APP, and after entering the web address, you can click the print button on the page to print the information of the web page;

Tips: You can view the operating tutorial in the APP, and connect the machine according to the video tutorial.

## Common problems and solutions

Common problems and solutions				
Problem Reason Solution				
	The paper roll holder is not inst alled correctly	Reinstall according to the instructions of the paper roll adapter.		
The half margin of page prin ted				

	2. The machine print head cannot rebound	Press the print head to rebound
The machine can't be charg	1. Can't charge	Connect the machine, check the battery cap acity at the Bluetooth connection in the upper right corner. You can check the remaining power of the machine
	2. The charger is heated	Use the 5v/2A charging cable to charge. Under normal
		circumstances, the machine can be fully cha rged in 2-5 hours.
	3. Unable to activate	Do not leave the battery uncharged for a lon g period of time (about three months), as thi s may cause the battery to run out naturally and fail to activate charging.
Machine fast indicator flashe s	1. The battery is less than 10%	The indicator light will flash quickly
No response after long-pres sing the power button	1. The power machine has no C	Charge it for half an hour and then turn it on
Upper and lower covers ar	The upper and lower covers of the new machine have a running- in period	Cover a few times back and forth
e stuck when opening	2. The machine is gotten foreign objects	Open the paper compartment of the machin e and clean the inner compartment (medical alcohol cleaning)
	Mobile phone Bluetooth is not t urned on	Turn on the phone's Bluetooth (Bluetooth au tomatically, you need to turn it on manually) cannot turn on
Cannot connect to machine'	2. APP machine can't find the	The machine is not turned on. Turn on the m achine to a normal state
s Bluetooth		Double-click the printer power button to print the QR code, scan the code directly to conn ect to the printer
	3. Mobile phone positioning permi ssion is not turned on	For Android phones, open the phone positioning permission
	1. No words on the paper	The paper roll is loaded upside down, resulting in the printing side of the paper roll (inner roll) rolled inside; all paper rolls shall be installed with the printing side facing up,
	2. System bug	Restart phone
	3. There are black bars	The paper is too big and jammed. Please ta ke out some paper.
The machine doesn't print		No electricity. Charge the machine (half an hour)
	4. Indicator flashes	

	Reinstall the paper roll; the paper roll is not pulled to the paper outlet; pull the paper roll out by a section, preferably beyond the paper outlet
The paper roll is loose and jam med	Remove the support of the paper roll, manu ally wind the paper roll, and then install the s upport; or directly put in the paper roll to prin t.
2. The machine has foreign object s	Open the paper compartment of the machin e and clean the inner compartment (medical alcohol cleaning)
1. No paper	Reinstall the paper roll; the paper roll is not pulled to the paper outlet; pull the paper roll out by a section, preferably beyond the paper outlet
2. The sensor cannot recognize	The printer detects a paper sensor failure; cl ean the sensor with an alcohol-sticky cotton swab.
3. System bug	Uninstall and reinstall
The paper roll is loaded upside down	Take out the paper roll and use your fingernail to draw hard on the paper, and ins tall with the color side facing up.
1. The paper roll holder is	Reinstall according to the instructions of the paper roll adapter.
not installed correctly	
2. Paper roll expansion hole	Take out the paper roll and cut off the wrinkl ed part, reinstall for printing
3 The machine box cover is not in place	The cover of the machine box is not closed t ightly. Replace the cover and press the cover firmly with palm.
4 Low nower	No power. Charge and then print
T. LOW POWER	Adjust the print density to the highest
5. Paper roll has been left in the a	Damp paper roll, leaving in the machine or in the air for a long time may cause missing printing.
ii ioi a iong time	Unused paper rolls are packed in sealed ba gs or boxes
When printing the same content with different mobile phones, the fonts are different	Due to different phone models and versions , the printed fonts will be different; set the ph one system font as the default font.
	Thermo-sensitive paper cannot be pasted wi th glue
	Edit the records before printing, and try to
	2. The machine has foreign object s  1. No paper  2. The sensor cannot recognize  3. System bug  1. The paper roll is loaded upside down  1. The paper roll holder is  not installed correctly  2. Paper roll expansion hole  3 The machine box cover is not in place  4. Low power  5. Paper roll has been left in the a ir for a long time  1. When printing the same content with different mobile phones, the

		Ambient temperature, humidity, or alcohol, d isinfectant, sweat on your hands, or hand sa nitizer will affect the fading of words.
faded font on the paper roll	Improper preservation <b>u</b> se and	Please choose to avoid light and store the p rinting paper in a dry environment;
		After printing, the printed surface should not be in contact withanother printed surface or t ransparent bag for storage;
		If you need to stick the printing paper, please select the official paper with adhesive backing. Some alkaline liquid adhe sives will accelerate the fading.

#### **FCC STATEMENT**

- 1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
  - (1) This device may not cause harmful interference, and
  - (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.


#### RF warning statement:

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

#### Read More About This Manual & Download PDF:

#### **Documents / Resources**





pages of a provincial in the control of the control		
12. FCC STATEMENT		
I have accompanied for the Charle Design of America Am		
13. ISED Warning		
The decise contains former enemy) transmitted/(freedress) that comply with invasation, fallows and formers (former) formers (see a fine of a former enemy) 8000, typesteen is subject to the following two conditions:  Life facility may not use informers.		
37his device must accept any interference, including interference that may cause underland appealing of the device.		
L'élembrachéoigheur-earragé de bisence contrarre dans le présent appareit est confisione appareit le commune, planteur en l'élempressant histories par l'année applicables aux proposités l'ordin compres de l'assoni, L'orgénisation ent service le cette aux descriptions années le commune de la commune de l'assonité de l'application ent service de la chief de la confision années le commune de la commune d		
1.1' apparation dels perpendide debreuillage; 2.1' apparation in apparation from Eage and elimination and a wire of the land Eage and		
If reposure obtavent IC IV reposure obtavent		
The deniar has been mailured to meet general K. Ef exposure requirement. The deniar on bound in portable exposure condition without agricolor.		
IC Obligation of Imposition assetts  (Support of the destations of Specific and Original spinishes of Imposition and World.)		
Copported and destandaryous reportable non designation perfection of separation and WIFC.  Copported print of the self-self-self-self-self-self-self-self-		

# References

# • User Manual

# Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.