




R Zero Systems SC9124 CoWorkr Counter Sensor Instruction Manual

[Home](#) » [R Zero Systems](#) » R Zero Systems SC9124 CoWorkr Counter Sensor Instruction Manual 

Contents

- [1 R Zero Systems SC9124 CoWorkr Counter Sensor](#)
- [2 PURPOSE](#)
- [3 DEFINITIONS](#)
- [4 DEVICE SETTINGS & CONFIGURATION](#)
- [5 FIRMWARE AND FLASHING](#)
- [6 INSTALLATION](#)
- [7 FREQUENTLY ASKED QUESTIONS](#)
- [8 FCC Statement](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)

r-zero-logo

R Zero Systems SC9124 CoWorkr Counter Sensor



PURPOSE

Information on how to use Co Workr's Counter Sensor

DEFINITIONS


Counter Sensor (a.k.a. "Work Space Counter")

Co Workr "Work Space Counters" are battery powered people counters that use an infrared sensor and AI for counting humans. Counters are ceiling mounted and may be used in a variety of applications wherein multiple occupants may be present. Counters may also be wired in positioned at thresholds for in/out counting.

- Counters are "overhead sensors" that require being attached to the ceiling.
- Counters include a specific mechanical attachment that mounts to the sensor location ceiling type.
- Counters have an on/off switch but all sensors ship to installers with batteries installed and turned on.
- Counters have a Label with an ID.

DEVICE SETTINGS & CONFIGURATION

Co Workr Counters have several configurations that turn the device on/off, as well as control the data that they transmit. Otherwise, they simply carry out the instructions provided by the firmware. Above:




Left: Front/Rear diagram of Counter components and switches.

Right: Power Switch close-up

Powering On/Off:

Counters have an on/off switch. To power on a Counter, flip the ON/OFF toggle switch to the ON position. To turn off, flip the switch to the OFF position.

Switch Configurations:



The AI-Confidence threshold can be set by configuring the switches in 4 positions. By setting the threshold to a specific setting, the object detections created by the firmware will be limited to the meet the criteria outlined in the diagram above..


FIRMWARE AND FLASHING

Co Workr Counters ship pre-flashed with the latest firmware. For updates to the firmware, the device must be attached to an installer's computer using a JTAG connector, wherein the firmware revision can be flashed onto the device. Firmware updates are not commonly done on production devices.

INSTALLATION

Install Overview

- Similar to Work Points Sensors, our Counter Sensors have specific locations in which they are to be installed. Each device has an ID that must match the location found on the attached floor plans. Counter Sensors also require a specific position on a ceiling, centered over the work area and spaced a proper distance away from other sensors.
- Use the (included) floor plans to locate each sensor. Sensors are typically ordered numerically so the installer should be able to make a continuous path through the floor plan while installing sensors in the order of the devices in the box.
- The following steps describe how to install the Counter Sensors based on the ceiling type.




Left: Floor Plan with Sensor IDs
Each Sensor ID will be clearly shown on a specific location of the floor.

Left: Example Key
Icons will be color coded to match the installation type (e.g. desk or ceiling-mount and ceiling-mount type) as indicated on a key.

Ceiling Type 1: Acoustic Ceiling Tile (ACT) Frame

• PART ONE

Install the Counter Sensor using the drawings below and checklist below as guidelines for specific placement.




- Center the sensor on the space. The sensor location on the plan should indicate if the sensor is centered on the room or above a specific area of the room.
- Locate the Sensor on the nearest ACT Frame. This may be slightly off-center of the room.
- Use the included Frame clip to attach the Counter to the Frame as shown in the next slide.

• PART TWO – OPTION 1 – Using a Clip

Your Sensor should ship with an twist/clamp-on attachment to match your ACT System.


Use the location determined using the guidelines on the previous sheet

- Attach using Frame Clip (image right):
 - Squeeze the Clamp onto the T-Bar
 - Twist the Counter onto the Stem
 - Orient the Counter with the white lens at the top of the floor plan. Do Not Over tighten



• PART TWO – OPTION 2 – Using a Magnet

- If your Sensor shipped with a magnet attachment. This can be used to attach to any surface with strong magnetic properties. **Note:** Magnets will not attach to aluminum frames.
- Use the location determined using the guidelines on the previous sheet
- Attach using Magnets:
- Locate the position on the metal ACT frame or other metal surface that orients the Sensor with the white lens to the top of the floor plan




• Ceiling Type 2: Solid gypsum, metal, wood, etc.

◦ PART ONE

The drawing below indicates the typical installation into a solid material ceiling. Depending on your specific ceiling type, there may be slight differences. Please ask if you have any questions prior to drilling

or damaging any materials.

- Locate the mounting position using the drawings and ceiling type
- Drill a ½" hole in the surface
- Insert the Snap Toggle or other Threaded Anchor product included with your shipment
- Tighten the Threaded Anchor into place
- Gently Twist the Counter into the Anchor
- Orient the Sensor to position the white lens closest to the top of the floor plan and parallel to the space's walls. Do not over tighten.




- **Ceiling Type 2: Solid gypsum, metal, wood, etc.**

- **PART TWO**

Install the Counter Sensor using the drawings below and checklist below as guidelines for specific placement.

- Center the sensor on the space. The sensor location on the plan should indicate if the sensor is centered on the room or above a specific area of the room.
- Locate the Sensor on the nearest ACT Frame. This may be slightly off-center of the room.
- Use the included Frame clip to attach the Counter to the Frame as shown in the next slide.



FREQUENTLY ASKED QUESTIONS

- **A Counter Sensor is showing offline on our Floor Plan, what can I do?**

- If it's a single Counter Sensor amongst multiple other online Counter Sensors, it's likely the battery. Remove the Counter Batteries and replace. Please note these take 3.6V LI AA batteries, not conventional AA. If swapping the battery does not resolve the issue, please contact CoWorkr and we'll send you a replacement.
- If multiple Counter Sensors are offline:
 - The sensors may be out of range of the nearest Hub, try moving a Hub closer to test the connection. Sometimes a sensor's signal may be blocked depending on its installed location. Please reach out to CoWorkr via chat or email (support@coworkr.co) if you think an extra Hub is needed.
 - The nearest Hub may be offline. Check the nearest Hub on the FloorPlan to ensure it is online.

- **Will Counter Sensors detect workers walking through a space?**

Yes, if installed overhead, the area of detection will be triggered by any humans entering the space.

- **Can Counter Sensors pick up workers on the other side of glass walls or windows?**

Not likely, the majority of glass used for partition walls will not allow Counter Sensors to capture the occupants. Other clear materials, such as polycarbonate or acrylic, may allow for partial detection of motion but the device's sensitivity will be greatly reduced due to the surface blocking IR radiation.

- **Are Counter Sensors dangerous to human health?**

Counter Sensors use Bluetooth Low Energy (BLE) to communicate. The output power of CoWorkr Bluetooth Low Energy devices is so low, the FCC does not require them to be tested for Specific Absorption Rate (SAR), a measure of the rate at which energy is absorbed by the human body when exposed to RF radiation, including microwave radiation. Cellphones and laptops, on the other hand, must pass strict SAR testing requirements, since they operate at higher power, must pass strict SAR testing requirements, since they operate at higher

- **How do I know if Counter Sensors are collecting data?**

Counter Sensors are always reporting data if they are turned on. As long as the batteries are charged or it is

powered via USB, the device will broadcast data. It may appear that a Counter Sensor is offline, however, if the connection to CoWorkr's cloud (your Hub) has been disconnected or powered off.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.


This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Documents / Resources

	<p>R Zero Systems SC9124 CoWorkr Counter Sensor [pdf] Instruction Manual SC9124, 2AW5S-SC9124, 2AW5SSC9124, SC9124 CoWorkr Counter Sensor, CoWorkr Counter Sensor</p>
---	---