

RAB 17-100 LED String Light Installation Guide


Home » RAB » RAB 17-100 LED String Light Installation Guide 🖫

Contents

- 1 RAB 17-100 LED String Light
- **2 DESCRIPTION**
- **3 PRODUCT INFORMATION**
- **4 INSTALLATION**
- **5 LINKABLE**
- 6 CLEANING &
- **MAINTENANCE**
- **7 TROUBLESHOOTING**
- **8 Specifications**
- **9 Frequently Asked Questions**
- 10 Documents / Resources
 - 10.1 References



RAB 17-100 LED String Light



DESCRIPTION

RAB Lighting is committed to creating high-quality, affordable, well-designed, and energy-efficient LED lighting and controls that make it easy for electricians to install and end users to save energy. We'd love to hear your comments. Please call the Marketing Department at 888-RAB-1000 or email: marketing@rablighting.com

IMPORTANT

READ CAREFULLY BEFORE INSTALLING FIXTURE. RETAIN THESE INSTRUCTIONS FOR FUTURE REFERENCE. RAB fixtures must be wired in accordance with the National Electrical Code and all applicable local codes. Proper grounding is required for safety. THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.

WARNING

- When using product, basic precautions should always be followed.
- Read and follow these instructions and observe all warnings.
- Carefully read and understand the information given in this manual before beginning installation. Failure to do so could lead to electric shock, fire, or other injuries, which could be hazardous or even fatal.
- · Save these instructions and warnings.

CAUTION

- Make sure the distances between live part and metal part of the device can satisfy reinforce or double insulation.
- Before intallation and maintenance of the device, please disconnect the power to prevent an electric shock.
- The LED temporary light string must be intalled in an approriate environment, operating in harsh environments may shorten the lifespan or enen damage the device.
- Please keep the device away from any corrosive substance, clean with dry cloth only.
- To ensure personal safety, please make sure the device is staying firmly and securely when installed on high places.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


PRODUCT INFORMATION

Power	Voltage	Current	Qty	Lumen	Cable	Suitable for Wet
100W	AC 120V	1.85A	10 units	12000 lm	SPT-2W 18/2 A WG	Locations


Application:

Suitable for construction sites or any other location requiring a temporary light string.

INSTALLATION



LINKABLE



100W - For only use with this product connect up to 4 bunches

CLEANING & MAINTENANCE

CAUTION: Be sure fixture temperature is cool enough to touch. Do not clean or maintain while fixture is energized.

- 1. Turn power OFF.
- 2. Use a soft cloth and a mild, non-abrasive glass cleaner.
- 3. Lightly wipe and clean the fixture.
 - · DO NOT use solvents.

- DO NOT use cleaners containing abrasive ingredients.
- NEVER spray cleaning liquid directly onto the LEDs, fixture, or wiring.

TROUBLESHOOTING

Problem	Probable Cause	Solution	
	Bad connection	Check wiring connections	
	Faulty switch	Test switch or replace it	
The fixture does not turn on	The power is off	Verify power supply is on	
Circuit breaker trips or fuse blo ws when light is turned on	Discontinue use imm ediately	Call an electrician	

Note: These instructions do not cover all details or variations in equipment nor do they provide for every possible situation during installation, operation or maintenance.

Easy Answers

- rablighting.com Visit our website for product info
- Tech Help Line Call our experts: 888 722-1000
- e-mail Answered promptly sales@rablighting.com
- · Free Lighting Layouts Answered online or by request
- RAB WARRANTY: RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Specifications

Power: 100WVoltage: AC 120VCurrent: 1.85AQuantity: 10 units

•

• Lumen Output: 12000 lm

• Application: Suitable for construction sites or any other location requiring a temporary light string.

Cable: SPT-2W 18/2 AWGSuitable for Wet Locations

Frequently Asked Questions

Where can I find more product information?

You can visit our website at rablighting.com.

How can I get technical help?

You can call our experts at 888 722-1000 or email us at sales@rablighting.com for prompt assistance.

What is RAB's warranty policy?

RAB's warranty terms and conditions can be found at rablighting.com/warranty.

Do you provide free lighting layouts?

Yes, we offer free lighting layouts online or by request. Contact us for more information.

Documents / Resources



RAB 17-100 LED String Light [pdf] Installation Guide STRING17-100, 17-100 LED String Light, 17-100, LED String Light, String Light, Light

References

- R Legal RAB Lighting
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.