



# **RAB T5HE Linear Tube Lamp Owner's Manual**

Home » RAB » RAB T5HE Linear Tube Lamp Owner's Manual

#### **Contents**

- 1 RAB T5HE Linear Tube
- **2 Product Usage Instructions**
- 3 Features and Benefits
- **4 Technical Specifications**
- **5 Warranty**
- **6 Dimension**
- 7 Documents / Resources
  - 7.1 References
- **8 Related Posts**



## **RAB T5HE Linear Tube Lamp**



## **Product Usage Instructions**

1. Ensure the input voltage is within the range of 120-277V.

- 2. Install the bulb in a G5 base type fixture using UL Type A installation method.
- 3. If dimming is required, use a 0-10V dimmer compatible with the product.
- 4. For optimal performance, operate the product at an operating frequency of 50/60Hz.

#### **FAQs**

## What is the warranty period for this product?

The product comes with a five (5) year warranty from the date of delivery to the end user, covering various aspects such as light output, color stability, driver performance, and fixture finish.

#### T5HE-13-48G-835-DIR

- Project:
- · Type:
- · Prepared By:
- Date

#### **Features and Benefits**

Direct Replacement for conventional fluorescent tubes Easy to install plug and play that requires no rewiring, no tools, no instructions

## 50,000 hour Lifespan

Rated for use in enclosed and open fixtures in dry or damp locations Diffused frosted lens will maintain the same light quality over time

Compatible with most program start electronic T5 ballasts, Please check Compatibility List.

#### Instant on full brightness

Environmentally friendly, no mercury used

NSF Listed: NSF/ANSI Standard 2 – Food Equipment – Splash Zone (Not for Direct Food Zone without additional fixture considerations

## **UL Listed**

Compatible with RAB specified 0-10V dimming system

## **Technical Specifications**

- Performance
- Product Type:

Linear

• Input Wattage:

13W

• Lumens:

1,950lm

• Efficacy:

150lm/W

• L70 Lifespan:

50,000-Hour LED lifespan based on IES LM-80 results and TM-21 calculations

•	Wattage Equivalency:
	F28T5
	LED Characteristics
•	Color Accuracy (CRI):
	80
•	Color Temperature:
	3500K
	Construction
•	Nominal Length:
	4 ft
•	Bulb Shape:
	Т5
•	Enclosure Material:
	Glass
•	Housing Finish:
	Aluminum
•	Lens Finish:
	Frosted
	Installation
•	Base Type:
	G5
	Installation Method:
	UL Type A, Plug and Play
•	Electrical
	THD:
	≤20%
•	Power Factor:
	>0.9
•	Operating Temperature:
	-20°C to 45°C
•	Input Voltage:
	120-277V
•	Operating Frequency:
	50/60Hz
•	Dimming:
	Yes with 0-10V dimmer. See Dimmer Compatibility
	List.
•	Other
•	Technology EQ:
•	Fluorescent

## Warranty

years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at <a href="mailto:rablighting.com/warranty">rablighting.com/warranty</a>

## Compliance

Listings: UL Listed

## **Environment:**

Damp / Enclosed

## **NSF Listing:**

NSF/ANSI Standard 2 – Food Equipment (non-contact), Splash Zone, and Non-Food Zone. (Not for Direct Food Zone without additional fixture considerations)

#### RoHS:

Mercury and UV free. RoHS-compliant components.

#### FCC:

Complies with Part 15B of the FCC Rules

#### **DLC Listed:**

This product is on the Design Lights Consortium


(DLC) Qualified Products List and is eligible for rebates from DLC Member Utilities. Designed to meet DLC 5.1 requirements.

DLC Product Code: PLPU4F6MSDA4

## **Optical**

Beam Angle: 160°

## **Dimension**



Need help? Tech help line: <u>888-722-1000</u> Email: <u>sales@rablighting.com</u> Website: <u>www.rablighting.com</u> Copyright © 2024 RAB Lighting All Rights Reserved Note: Specifications are subject to change at any time without notice

## **Documents / Resources**



RAB T5HE Linear Tube Lamp [pdf] Owner's Manual T5HE Linear Tube Lamp, T5HE, Linear Tube Lamp, Tube Lamp

## References

- R Legal RAB Lighting
- R Welcome to RAB
- R Legal RAB Lighting
- User Manual

## Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.