



#### Contents

- [1 Ceramic Tiling Elements](#)
- [2 Specifications](#)
- [3 Product Usage Instructions](#)
- [4 Instructions and Safety Information](#)
- [5 FAQs](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)

# RAKO

## Ceramic Tiling Elements



## Specifications

- Brand: Rako
- Website: [www.rako.eu](http://www.rako.eu)

## Product Information

Rako offers innovative products designed to enhance your home lighting experience. Our products are known for their quality and ease of use, providing customizable lighting solutions for any space.

## Product Usage Instructions

## Installation

Before starting the installation process, ensure that the power source is turned off. Follow the provided instructions carefully to install the product securely. If you are unsure about the installation process, consult a professional electrician.

## Setup

Once the product is installed, refer to the user manual for setup instructions. This may involve connecting the product to a compatible app or control system for customization options.

## Operation

To operate the product, use the designated controls or app interface. Adjust the settings according to your preferences to create the desired lighting effects in your space.

## Maintenance

Regularly check the product for any signs of wear and tear. Clean the product as per the manufacturer's recommendations to ensure optimal performance.

## Instructions and Safety Information

- Installation of ceramic tiling elements is a professional activity, which we recommend be carried out by a professionally qualified person.
- In the case of self-installation, follow the manufacturer's instructions in the technical catalogue at [www.rako.eu](http://www.rako.eu).
- Before installation, check that the products intended for the same area are of the same batch, shade, size, and quality. Keep this information for any warranty claims. Defects detectable before installation will not be accepted after installation.
- For a uniform surface appearance, install products alternately from several cartons, especially for products with deliberate variations in shade and design (defined in the catalogue by the scale V1 to V4). Wet cutting should primarily be used. When dry cutting, wear safety glasses, ear protection, and respiratory dust protection, and do not eat, drink, or smoke while working.
- When finished, wash your hands thoroughly with soap and water. Wear protective gloves and footwear with reinforced toes for handling and cutting. Ceramic waste after installation, as well as at the end of the product life cycle, is non-toxic.
- Dispose of ceramic waste in compliance with local regulations.

## FAQs

### Q: How do I reset the product to its factory settings?

A: To reset the product, locate the reset button (usually found on the product itself) and hold it down for 10 seconds until the lights flash. This will restore the product to its original settings.

## Documents / Resources

