

Rasmussen Rasmussen FB Series Smooth Vented FireBalls Custom Pan Burner Kit



# Rasmussen FB Series Smooth Vented FireBalls Custom Pan Burner Kit Owner's Manual

[Home](#) » [Rasmussen](#) » Rasmussen FB Series Smooth Vented FireBalls Custom Pan Burner Kit Owner's Manual



## Contents

- [1 Rasmussen FB Series Smooth Vented FireBalls Custom Pan Burner Kit](#)
- [2 Installation](#)
- [3 Operation](#)
- [4 Maintenance](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)
- [6 Related Posts](#)

# Rasmussen

Rasmussen FB Series Smooth Vented FireBalls Custom Pan Burner Kit




## Product Specifications


- Material: Refractory Concrete
- Part Names: FB18, FB21, FB24, FB27, FB30, FB30W
- Fireball Count: Varies (Refer to specific model)
- Burner Compatibility: CS18, CS21, CS24, CS27W, CS30, CS30W

## Installation


1. Ensure the area for the gas log set is clear and free from any obstructions.
2. Place the appropriate fireballs (FB18, FB21, FB24, FB27, FB30, or FB30W) in the designated tiers as specified.
3. Connect the gas log set to the compatible burner (CS18, CS21, CS24, CS27W, CS30, or CS30W) following the manufacturer's instructions.




TOP VIEW



FRONT VIEW



RH SIDE VIEW



#### NOTES:

1. FB18 CONTAINS 20 n4" FIREBALLS
2. USE WITH CS18 BURNER

#### RASMUSSEN

- THE GAS LOG COMPANY
- 12028 PHILADELPHIA ST. WHITTIER, CA 90601
- DRAWN BY: AA DATE: 09/03/20
- UNLESS OTHERWISE
- SPECIFIED DO NOT
- SCALE DRAWING

#### MATERIAL:


REFRACTORY CONCRETE

#### PART NAME:


FB18

#### DEPT:


LOG SHOP



TOP VIEW



FRONT VIEW




RH SIDE VIEW

TIER 3 = 3


TIER 2 = 8

TIER 1 = 15




## Operation


1. Turn on the gas supply and ignite the burner according to the burner's instructions.
2. Adjust the flame height and distribution as desired using the burner controls.
3. Enjoy the warmth and ambiance provided by the gas log set.



TOP VIEW



FRONT VIEW





RH SIDE VIEW

TIER 3 = 4

TIER 2 = 10


TIER 1 = 18






## Maintenance

1. Regularly inspect the gas log set for any signs of damage or wear.
2. Keep the set clean by removing any dust or debris that may accumulate over time.
3. Follow the maintenance schedule outlined in the user manual to ensure optimal performance.





## Frequently Asked Questions (FAQ)


• **Q: How many fireballs are included in each model?**

- A: The fireball count varies for each model – FB18 contains 20 fireballs, FB21 contains 26 fireballs, FB24 contains 32 fireballs, FB27 contains 50 fireballs, FB30 contains 38 fireballs, and FB30W contains 60 fireballs.

• **Q: Can I use a different burner with these fireballs?**

- A: It is recommended to use the specified burners (CS18, CS21, CS24, CS27W, CS30, CS30W) for optimal performance and safety.

## Documents / Resources

	<p><a href="#">Rasmussen FB Series Smooth Vented FireBalls Custom Pan Burner Kit</a> [pdf] Owner's Manual</p> <p>FB18, FB21, FB24, FB27, FB30, FB30W, FB Series Smooth Vented FireBalls Custom Pan Burner Kit, FB Series, Smooth Vented FireBalls Custom Pan Burner Kit, Vented FireBalls Custom Pan Burner Kit, FireBalls Custom Pan Burner Kit, Custom Pan Burner Kit, Pan Burner Kit, Burner Kit, Kit</p>
---	--

## References

- [User Manual](#)