

REAL AVID AVAR15FSA Front Sight Adjuster



# REAL AVID AVAR15FSA Front Sight Adjuster Instruction Manual

[Home](#) » [REAL AVID](#) » REAL AVID AVAR15FSA Front Sight Adjuster Instruction Manual 

## Contents

- [1 REAL AVID AVAR15FSA Front Sight Adjuster](#)
- [2 Product Information](#)
  - [2.1 Specifications](#)
- [3 Product Usage Instructions](#)
- [4 Product Description](#)
- [5 Contact Information](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)



**REAL AVID AVAR15FSA Front Sight Adjuster**



## Product Information

### Specifications

- **Product Name:** AR 5 Front Sight Adjuster Tool
- 2-in-1 tool fits both A1 and A2 front sights
- **Material:** Precision-machined stainless steel
- **Features:** Knurled shaft for no-slip leverage, works on 5-pin (A1 style) and 4-pin (A2 style) front sights
- **Coating:** Durable black oxide coating

## Product Usage Instructions

### Adjusting Front Sights:

1. Identify the type of front sight you have (A1 or A2 style).
2. Select the appropriate pin configuration on the tool (5-pin for A1 and 4-pin for A2).
3. Insert the tool into the front sight post and ensure a secure fit.
4. Use the knurled shaft to turn the tool for adjustments. The knurling provides extra grip.
5. Make necessary adjustments by turning clockwise or counterclockwise based on your sighting needs.

### Maintenance:

After use, wipe the tool clean and store it in a dry place to prevent corrosion.

### FAQ:

- **Q: Is the tool compatible with all AR front sights?**

A: The tool is designed to work with both A1 and A2 front sights, but compatibility with other variations may vary.

- **Q: How do I know which pin configuration to use?**

A: For A1 front sights, use the 5-pin configuration, and for A2 front sights, use the 4-pin configuration.


## Product Description

### 2-IN-1 TOOL FITS BOTH A1 AND A2 FRONT SIGHTS.

This smartly designed tool makes front-sight adjustments quick and easy. The stainless steel shaft is knurled to create no-slip leverage when turning tight posts. It works on both A1 & A2 front sights and the compact design won't clutter up your bag.



**MAKE QUICK SIGHT  
ADJUSTMENTS ON  
BOTH 5-PIN AND  
4-PIN FRONT SIGHTS.**




### WARNING:

This product can expose you to chemicals including Nickel (Metallic), which is known to the state of California to cause cancer and birth defects or reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Contact Information

- 5480 NATHAN LANE NORTH, SUITE 120 MINNEAPOLIS, MN 55442 800.286.0567
- [info@realavid.com](mailto:info@realavid.com).
- [RealAvid.com](http://RealAvid.com)

## Documents / Resources

	<p><a href="#">REAL AVID AVAR15FSA Front Sight Adjuster</a> [pdf] Instruction Manual AVAR15FSA Front Sight Adjuster, AVAR15FSA, Front Sight Adjuster, Sight Adjuster, Adjuster</p>
---	--

## References

-  [REAL AVID® – UPGRADE TO MASTER GRADE](#)
-  [P65Warnings.ca.gov](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.