Remote Tech RT-13D0 Smart Key



P

Remote Tech RT-13D0 Smart Key User Manual

Home » Remote Tech » Remote Tech RT-13D0 Smart Key User Manual 🖺

Contents

- 1 Remote Tech RT-13D0 Smart Key
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 BUTTON FUNCTION**
- **5 FCC COMPLIANCE STATEMENT**
- **6 Documents / Resources**
 - **6.1 References**



Remote Tech RT-13D0 Smart Key



Product Information

Specifications

• FCC ID: 2AOKM-MZ10

IC: 24223-MZ10Model: RT-13D0

Part Numbers: RT-GJY902, RT-KDY301, RT-GJY901, RT-KDY302, RT-TK5202, RT-GJY902

Product Usage Instructions

LOCK Button

Pressing the LOCK button locks all the doors. When pressed once, exterior lights flash, doors and fuel fill door lock, and the security system sets. Pressing it twice within five seconds after the first push will make exterior lights flash, the beeper sound, and verify the security system is set.

UNLOCK Button

Pressing the UNLOCK button unlocks the driver's door. Pressing it again within 5 seconds unlocks the other doors. Press once to have exterior lights flash twice and unlock the driver's door and fuel fill door. Pressing it twice will make exterior lights flash twice and unlock all remaining doors.

TRUNK Button

Press the trunk release button for approximately one second to unlock and open the trunk.

Hatch Button

Press the Hatch release button for approximately one second to unlock and open the Hatch.

PANIC Button

Pressing the PANIC button triggers the vehicle's alarm system with horn and hazard lamp. Press any button on the electronic key to stop the alarm.

FCC Compliance Statement

This device complies with part 15 of the FCC Rules. It must not cause harmful interference and must accept any interference received. Unauthorized changes or modifications could void the user's authority to operate the

equipment.

IC Warning

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). It must not cause interference.

FAQs

Q: How do I stop the panic alarm?

A: To stop the panic alarm, press any button on the electronic key.

Q: What happens when I press the LOCK button twice?

A: Pressing the LOCK button twice within five seconds after the first push will make exterior lights flash, the beeper sound, and verify that the security system is set.

BUTTON FUNCTION

This remote has lock, unlock, Trunk, Remote Start ,Hatch and panic buttons; you can lock and unlock the vehicle doors and trunk/hatch with the remote transmitter.

LOCK Button: When you press the LOCK button, it locks all the doors.

Once:

Some exterior lights flash, all the doors and fuel fill door lock, and the security system sets.

• Twice:(within five seconds after the first push):

Some exterior lights flash, the beeper sounds and verifies the security system is set.

UNLOCK Button:

Pressing the button unlocks the driver's door. Pressing the button again within 5 seconds unlocks the other doors. Once:

Some exterior lights flash twice, and the driver's door and fuel fill door unlocks

Twice:

Some exterior lights flash twice, and the remaining doors unlock.

TRUNK Button:

Press the trunk release button for approximately one second to unlock and open the trunk

Hatch Button:

Press the Hatch release button for approximately one second to unlock and open the Hatch PANIC Button: When you press the PANIC button, the vehicle will start sounding the horn and flushing the hazard lamp. To stop the alarm, press any button on the electronic key.

FCC COMPLIANCE STATEMENT

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- this device must accept any interference received, including interference that may cause undesired operation.
 Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

IC WARNING:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device

FCC ID:2AOKM-MZ10
IC:24223-MZ10
MODLE:RT-13D0
P/N:RT-GJY902 RT-KDY301 RT-GJY901 RT-KDY302 RT-TK5202 RT-GJY902

Documents / Resources



Remote Tech RT-13D0 Smart Key [pdf] User Manual RT-13D0 Smart Key, RT-13D0, Smart Key, Key

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.