




Remote Tech RT-CY687 Remote Key Instruction Manual

[Home](#) » [Remote Tech](#) » Remote Tech RT-CY687 Remote Key Instruction Manual 

Company: Remote Tech LLC
Address: 310 ALDER RD, Dover, DE 19904, USA
Name: Remote Key
Model: RT-CY687B



Contents

- [1 Operation instructions](#)
- [2 Product parameters](#)
- [3 FCC warning statements:](#)
- [4 IC warning statements:](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Operation instructions

1. After matching the key to the car, press 1 the unlock key for 2 seconds to open the door and press 2 the lock key for 2 seconds to close the door.
2. The ignition key is used to manually unlock and start the car.

Product parameters

Rated voltage	DC 3V
Working current	<12mA
Operating voltage	DC 3.3V-2.2V
Transmit power	>-Eicibm
Key operation force	200±50g
Operating temperature	-5° C +45°C
Stand-by current	<7uA
transmitting frequency	433.92MHZ±75KHZ
Modulation	ASK
Battery	CR2032
Key durability	More than 70,000 times

FCC warning statements:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by the manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirements.

IC warning statements:

Warning Statement:

RSS-GEN ISSUE 5, 8.4 User manual notice

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada’s license-exempt RSS(s).


Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment and meets RSS-102 of the IC radio frequency (RF) Exposure rules. This equipment has very low levels of RF energy that are deemed to comply without testing of specific absorption ratio (SAR).

Documents / Resources

	<p>Remote Tech RT-CY687 Remote Key [pdf] Instruction Manual CYV14B, 2AOKM-CYV14B, 2AOKMCYV14B, RT-CY687 Remote Key, Remote Key, Key</p>
---	---