



reolink Argus 3 Ultra Smart 4K Standalone Battery Solar Camera Owner's Manual

[Home](#) » [reolink](#) » reolink Argus 3 Ultra Smart 4K Standalone Battery Solar Camera Owner's Manual 

reolink Argus 3 Ultra Smart 4K Standalone Battery Solar Camera Owner's Manual



Argus 3 Ultra

Smart 4K 8MP standalone battery/solar-powered camera with 5/2.4 GHz dual-band WiFi, and color night vision.

- 4K 8MP Ultra HD
- 5/2.4 GHz Dual-Band WiFi
- Color Night Vision

Contents

- [1 Specifications](#)
- [2 Gallery & Specs](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)

Specifications

Video & Audio	
Image Sensor	1/2.7"CMOS sensor
Resolution	3840 x 2160 (8 megapixels) @15fps
Video Compression	H.265
Field of View	Horizontal: 105° Vertical: 55° Diagonal: 125°
Infrared Night Vision	Up to 10 meters (33ft); LED: 6pcs/0.8w/ 850nm (Auto-switching with IR -cut filter)
Color Night Vision	With spotlights: 2pcs/2w/6500k
Frame Rate	Main stream: 10fps – 15fps (default: 15fps) Sub stream: 10fps – 15fps (default: 15fps)
Code Rate	Main stream: 1024Kbps – 4096Kbps (default: 3072Kbps) Sub stream: 64Kbps – 672Kbps (default: 672Kbps)
Audio	Two-way audio
Power	
Battery	21.6Wh rechargeable battery (Battery life varies based on settings, usage & temperature.)
Solar	Relink Solar Panel 2 (6W)
Interface	
Power Port	USB Type-C port
SD Card Slot	Supports Max.128GB micro SD card
Reset Button	YES
Audio In/Out	Built-in microphone and speaker
Wi-Fi	
Wireless Standard	IEEE 802.11 a/b/g/n
Operating Frequency	2.4GHz/5GHz
Wireless Security	WPA/WPA2
Software	
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android

Protocols & Standards	SSL, TCP/IP, UDP, UPNP, SMTP, NTP, P2P
User Access	Max. 12 simultaneous streams (2 main & 10 sub streams)
Other Feature(s)	
Smart Alarm	PIR detection; person detection; vehicle detection; animal detection
PIR Detecting Distance	Adjustable up to 10m (33ft)
PIR Detecting Angle	100° horizontal
Recording Modes	Triggered recording
Time Lapse	YES
Smart Home Compatibility	Google Assistant; Alexa
Cloud Storage	Supports ReLink Cloud (available in selected countries)
Working Environment	
Operating Temperature	-10°C~+55°C (14°F~131°F)
Operating Humidity	20% ~ 85%
Weatherproof	IP65
Mechanical	
Dimensions	127 x 90 x 56mm
Weight (Battery Included)	335g
Warranty	
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/enus/

Gallery & Specs

1. Status LED



2. Spotlight

3. IR LEDs

4. Lens

5. Daylight Sensor
6. Built-in Microphone
7. Built-in PIR Sensor
1. Reset Hole



2. Power Switch
3. microSD Card Slot
4. USB-C Port
5. Mount
6. Speaker
7. Battery Status LED



Documents / Resources

	<p>reolink Argus 3 Ultra Smart 4K Standalone Battery Solar Camera [pdf] Owner's Manual Argus 3 Ultra Smart 4K Standalone Battery Solar Camera, Argus 3 Ultra, Smart 4K Standalone Battery Solar Camera, Standalone Battery Solar Camera, Battery Solar Camera</p>
--	--

References

- [🔗 Reolink Official: Security Cameras and Systems for Home & Business](#)
- [🔗 Not Found - Reolink Support](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.