



reolink Go PT Ultra 4G LTE Pan-Tilt Camera Owner's Manual

[Home](#) » [reolink](#) » reolink Go PT Ultra 4G LTE Pan-Tilt Camera Owner's Manual 

reolink Go PT Ultra 4G LTE Pan-Tilt Camera Owner's Manual

p.n. Reolink Go PT Ultra

4K (8MP), 100% 4G LTE Pan/Tilt camera, Pre-Installed 16G SD Card Solar Powered

- o Reolink Innovation Limited
- o 4K 8MP Ultra HD
- o Battery/Solar Powered
- o Smart Detection
- o 355° Pan & 140° Tilt



19 Hayezira St. Industrial Zone Ramla 7255616
www.telran.co.il | office@telran.co.il

fax. 03-5214524

Technical support *2023
phone: 03-5575110

www.telran.co.il | office@telran.co.il

Video & Audio	Image Sensor	1/2.7" CMOS Sensor	
	Video Resolution	3840 x 2160 (8Megapixel)@15FPS	
	Video Format	H.265	
	Field of View	Fixed lens, Horizontal: 90°, Vertical: 47°, Diagonal: 110°	
	Infrared Night Vision	up to 10 Meters (33ft) (LED: 2pcs/1.2W/850nm)	
	Color Night Vision	Spotlight: 2pcs/2.4W/6500K	
	Audio	two-way audio	
PIR Detection & Alerts	Smart Alarm	PIR detection/Human Detection/Vehicle Detection/Pet Detection	
	PIR Detecting Distance	Adjustable up to 10m (33 ft)	
	PIR Detecting Angle	120° horizontal	
	Audio Alert	Customized verbal alerts	
	Recording	Motion Triggered Recording	
	Other Alerts	Instant email alerts and push notifications	
Pan & Tilt	Pan &Tilt	Pan: 355°, Tilt: 140°	
	Preset	Supports 1 guard position & up to 32 preset positions	
3G/4G	Frequency Bands	Europe	LTE FDD: B1/B3/B7/B8/B20/B28A
			WCDMA: B1/B8
		America	LTE FDD: B2/B4/B5/B12/B13/B14/B66/B71
		Australia	LTE FDD: B1/B3/B5/B7/B8/B28
Power	Battery	21.6Wh rechargeable battery (Battery life varies based on settings, usage & temperature)	
	Solar	Reolink Solar Panel 2	
	DC Power	USB Type-C port	
Storage	Local Storage	Supports up to 128GB micro SD card	
	Cloud Storage	Supports Reolink Cloud	
Smart Home	Smart Home	Google Assistant, Alexa	
Working Environment	Operating Temperature	-10 to 55° C (14° to 131° F)	
	Weather Resistance	IP64	
Size & Weight	Size	Φ98 x 122mm	
	Weight (Battery included)	496g	

19 Hayezira St. Industrial Zone Ramla 7255616

*2023

Technical support

www.telran.co.il | office@telran.co.il | fax. 03-5214524 | phone: 03-5575110

Contents

- 1 Documents / Resources
- 1.1 References

Documents / Resources



[reolink Go PT Ultra 4G LTE Pan-Tilt Camera](#) [pdf] Owner's Manual
Go PT Ultra 4G LTE Pan-Tilt Camera, Go PT Ultra, 4G LTE Pan-Tilt Camera, Pan-Tilt Camera, Camera

References

-  [Home](#)
-  [Home](#)

Manuals+.