




reolink RLK8-1200D4-A Surveillance System with Intelligent Detection Instruction Manual

[Home](#) » [reolink](#) » reolink RLK8-1200D4-A Surveillance System with Intelligent Detection Instruction Manual 



PoE NVR System
Operational Instruction




@ReolinkTech <https://reolink.com>

Contents


- [1 What's in the Box](#)
- [2 Introduce the NVR](#)
- [3 Introduce the Cameras](#)
- [4 Connection Diagram](#)
- [5 Set up the NVR System](#)
- [6 Mount Tips for the Cameras](#)
- [7 Troubleshooting](#)
- [8 Specifications](#)
- [9 Notification of Compliance](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)

What's in the Box







NOTE: Quantity of devices and accessories vary by different models that you purchase.

Introduce the NVR



NOTE: The actual appearance and components may vary with different products.

Introduce the Cameras




NOTE

- Different types of cameras are introduced in this section. Please check out the camera Included in the package and check out the details from the corresponding introduction above.
- The actual appearance and components may vary with different model of product.

Connection Diagram


To ensure all components work properly, it is recommended that you connect every part and try to run the system before a final installation.

Connect the NVR (LAN port) to your router with a network cable. Next, connect the mouse to the USB port of the NVR.




Connect the NVR to the monitor with a VGA or HDMI cable.


NOTE: There is no VGA cable included in the package.



Connect cameras to PoE ports on the NVR.



Connect the NVR to a power outlet and turn on power switch.



Set up the NVR System

A setup wizard will guide you through the NVR system configuration process. Please set a password for your NVR (for the initial access) and follow the wizard to configure the system.

NOTE: The password should be at least 6 characters. It is recommended that you note down the password and keep it in a secure place.

Access the System via Smartphone or PC

Download and launch the Reolink App or Client software and follow the instructions to access the NVR.

- On Smartphone

Scan to download the Reolink App.



<https://reolink.com/wp-json/reo-v2/app/download>

- OnPC

Download path: Go to <https://reolink.com> > Support > App & Client.

Mount Tips for the Cameras

- Do not face the camera towards any light sources.
- Do not point the camera towards a glass window. Or, it may result in poor image quality because of the window glare by infrared LEDs, ambient lights or status lights
- Do not place the camera in a shaded area and point it towards a welllit area. Or, it may result in poor image quality, To ensure best image quality, the lighting condition for both the camera and the capture object shall be the same.
- To ensure better image quality, i's recommended to clean the lens with a soft cloth from time to time.
- Make sure the power ports are not directly exposed to water or moisture and not blocked by dirt or other elements.
- With IP waterproof ratings, the camera can work properly under conditions like rain and snow. However, it doesn't mean the camera can work underwater.
- Do not install the camera at places where rain and snow can hit the lens directly.
- The camera may work in extreme cold conditions as low as -25°C because it will produce heat when powered

on. You may power the camera indoors for a few minutes before installing it outdoors.

Troubleshooting

No video output on the monitor/TV

If there's no video output on the monitor from Reolink NVR, please try the following solutions:

- TV/monitor resolution should be at least 720p or above.
- Make sure your NVR is powered on.
- Double check the HDMI/VGA connection, or swap another cable or monitor to test.

If it still doesn't work, please contact Reolink Support support@reolink.com

Failed to access the PoE NVR locally

If you failed to access the PoE NVR locally via mobile phone or PC, please try the following solutions:

- Connect the NVR (LAN port) to your router with @ network cable.
- Swap another Ethernet cable or plug the NVR to other ports on the router.
- Go to Menu -> System -> Maintenance and restore all settings.

If it still doesn't work, please contact Reolink Support support@reolink.com

Failed to access the PoE NVR remotely

If you failed to access the PoE NVR remotely via mobile phone or PC, please try the following:

- Make sure you can locally access this NVR system.
- Go to NVR Menu -> Network -> Network -> Advanced and make sure that UID Enable is selected.
- Please connect your phone or PC under the same network (LAN) of your NVR and see if you can visit any website to verify whether there is Internet access available.
- Please reboot your NVR and router and try again,

If it still doesn't work, please contact Reolink Support support@reolink.com

Specifications

NVR

Decoding Resolution:

12MP/8MP/5MP/4MP/3MP/1080p/720p

Operating Temperature: -10°C to 45°C (-10°C to 55°C for RLN16-410)

Size: 260 x 41 230mm (330 x 45 x 285mm for RLN16-410)

Weight: 2.0kg (3.0kg for RLN16-410)

Camera

Night Vision: 30 Meters (100ft)

Day/Night Mode: Auto Switchover

Operating Temperature:

-10°C to 55°C (14°F to 131°F)

Operating Humidity: 10%-90%
Weather Resistance: IP66

For more Specifications, visit <https://reolink.com/>.

Notification of Compliance

FCC Compliance Statement

This device complies with Part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. For more information, visit: <https://reolink.com/fcc-compliance-notice/>.

CE Simplified EU Declaration of Conformity

Reolink declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.

Correct Disposal of this product

This marking indicates that this product cannot be disposed with other household wastethroughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal and promote the sustainable reuse of material resources please recycle it responsibly. To return your used device, please Visit the Return and Collection System or contact the retailer from whom the product was purchased. They can take this product away for environmentally safe recycling. promote the sustainable reuse of material resources, please recycle it responsibly. To return your used device, please visit the Return and Collection System or contact the retailer from whom the product was purchased. They can take this product away for environmentally safe recycling.

Limited warranty

This product comes with a 2-year limited warranty that is valid only if purchased from Reolink Official Store or a Reolink authorized reseller. Learn more: <https://reolink.com/warranty-and-return/>.

NOTE: We hope that you enjoy your new purchase. But if you are not satisfied with the product and plan to return it, we strongly suggest that you format the inserted HDD first.

Terms and Privacy

Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com. Keep it out of reach of children.

End User License Agreement


By using the Product Software that is embedded on the Reolink product, you agree to the terms of this End User License Agreement ("EULA") between you and Reolink. Learn more: <https://reolink.com/eula/>.

Technical Support


If you need any technical help, please visit our official support site and contact our support team before returning the products, support@reolink.com

REP Product Ident GmbH
Hoferstasse 9B, 71636 Ludwigsburg, Germany
prodsg@libelleconsulting.com
August 2020
QSG2_8B
58.03.001.0112

Documents / Resources

	reolink RLK8-1200D4-A Surveillance System with Intelligent Detection [pdf] Instruction Manual RLK8-1200D4-A Surveillance System with Intelligent Detection, RLK8-1200D4-A, Surveillance System with Intelligent Detection, System with Intelligent Detection, Intelligent Detection
---	--

References

-  [One moment, please...](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.