



RITASC RV-218 Wireless Microphone System User Manual

[Home](#) » [Ritasc](#) » RITASC RV-218 Wireless Microphone System User Manual 

Contents

- [1 RITASC RV-218 Wireless Microphone System User Manual](#)
- [2 Receiver Technical Parameters](#)
- [3 Transmitter Technical Parameters:](#)
- [4 packing List:](#)
- [5 Recceiver](#)
- [6 Transmitter](#)
- [7 FCC Warning:](#)
- [8 conditions:](#)
- [9 Read More About This Manual & Download PDF:](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)

RITASC RV-218 Wireless Microphone System User Manual



Receiver Technical Parameters

1. Frequency Range: 2.4G
2. Frequency Response: 20Hz-30KHz
3. Working Current: 20mA–30mA
4. Charging Current: 450mA
5. Mode: Quartz Crystal Oscillation


Transmitter Technical Parameters:

1. Frequency Range: 2.4G
2. Frequency Response: 20Hz-30KHz
3. Working Current: 20mA–30mA
4. Charging Current: 450mA
5. Mode: Quartz Crystal Oscillation

packing List:

- 1) RECEIVER—mnmnmnmnmnmmeomccceeeeee x1PC
- 2) Handheld Micro——— x 2PCS
- 3) 18650 battery———mmnmnmnmnmnee x 3PCS
- 4) Rubber Ring——— x 2PCS
- 5) Recharging Cable——— x 1PC
- 6) Manual———csmmcmnmnmnmcoonaoo x 1PC

Receiver



ON/OFF @ Indicator A

USB-C Charging Input @ Indicator B

6.35mm plug @ Battery Compartment

Transmitter



1. Micro Head @ Battery Cover

2. LED Display (@ USB-C Charging Input

3. ON/OFF & MUTE Button: long press is

4. ON/OFF; short press is MUTE function

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two


conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received,

including interference that may cause undesired operation.
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance Ocm between the radiator and your body.

Read More About This Manual & Download PDF:

Documents / Resources

	<p>RITASC RV-218 Wireless Microphone System [pdf] User Manual RV-218, RV-216, RV-218 Wireless Microphone System, RV-218, Wireless Microphone System, Microphone System</p>
---	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.