

rizoma BS072 Reverse Retro Installation Guide

Home » rizoma » rizoma BS072 Reverse Retro Installation Guide 🖫

Contents

- 1 rizoma BS072 Reverse Retro
- 2 General conditions
- **3 MOUNTING SOLUTION**
- 4 Warnings
- **5 Documents / Resources**
 - **5.1 References**



rizoma BS072 Reverse Retro



We are pleased to welcome you into the world of RIZOMA, and we congratulate you for your excellent choice. Please carefully follow the instructions in this guide, which will allow you to mount and use the product correctly and enjoy all the features it has. For your protection and safety, RIZOMA expressly recommends that you have the installation of the product performed by skilled personnel. Improper installation, repair or maintenance, can cause accidents. Keep this user guide as a reference for the future. RIZOMA accepts no liability for any damage, of any kind, which may be caused, directly or indirectly, to persons or things as a result of incorrect assembly or failure to observe all the assembly instructions. We also invite you to comply with the provisions of the Highway Code and Traffic rules and/or to additional regulations in force in your Country.

General conditions

Attention: This component comes assembled for shipping purposes only. Tighten all fasteners to appropriate torque specifications before riding. Descriptions preceded by this symbol contain information, instructions, or procedures, which, if not followed, may result in death or serious injury.

- 1. Carefully read, understand and follow these instructions, they are an essential part of the product. If you have any doubt whatsoever regarding the installation or use of your RIZOMA product, please see your authorized RIZOMA dealer for assistance (on www.rizoma.com).
- 2. For correct installation, all tightening has to be done after the correct positioning of the accessories without restricting the moving parts, to not compromise the correct functioning of the product.
- 3. After installing any Rizoma product, please check that all related components of the motorbike function e.g. brakes, throttle, clutch, lights and steering. We strongly suggest to repeat these checks periodically, especially after long trips or prolonged periods of not using the bike. Your RIZOMA products require regular inspection and maintenance. The more you ride the more often you must inspect your RIZOMA products. If your products are leaking, bent, deformed, cracked, chipped or worn, no matter how slight, immediately have a RIZOMA dealer inspect the products before you ride again. In any case never try to repair or modify the Rizoma products or their components, always replace with Rizoma original components. Rizoma products may not be compatible with your motorcycle or with other aftermarket equipment installed before. For your safety Rizoma suggests to always contact your RIZOMA dealer.

O.E.M.: original equipment manufacturer.

Mirror "Reverse Retro"

PART NUMBER: BS072



The Reverse Retro mirror is made from billet aluminum. More compact, unmistakable design. Featuring a classic, timeless look, its simple lines and handlebar mount make it both a sought-after Classic and suitable for a range of styles. The adjustment system and anti-dazzle glass guarantee optimal versatility and comfort.




Before you start mounting the product please check the completeness of the kit on the part list. The difficulty level and the time of assemblage shown do not include the removal of OEM components.

- Warning: Make sure that your motorbike is standing firmly before you start work, as a fall may lead to damage to the motorbike or injury to you or others.
- WARNING: TO CLEAN YOUR MIRROR DON'T USE DETERGENT, AGGRESSIVE PRODUCTS OR
 ABRASIVE SPONGE THAT CAN DAMAGE OR SCRATCH YOUR MIRROR, BUT USE ONLY NEUTRAL
 DETERGENT WITH COLD WATER. Consult the website or contact the authorized dealer to choose the
 universal adapter.


Some of our products may not be approved for road circulation in the countries where homologation is required. Thus RIZOMA® srl declines any responsibility for a different use of its products.




MOUNTING SOLUTION




Attention: in order to be able to install the mirror with the perforated handlebar, the LP200 expander mounting kit must be purchased. Clean and degrease the mirror shaft hole, the outside of the bar-end plug and the handlebar hole.




Attention: if necessary, use the spacer or washer to adjust the minimum distance between the grip and the terminal.



Warning: for correct mounting of the right side, check the minimum distance between the bar-end plug and the throttle control (see picture).



Attention: find the desired mirror position and tighten the screw.



Warnings

- RIZOMA reserves the right, in its sole discretion, to make changes to the product and this information at any
 time and without prior notice. Although many catalogs and advertisements depict riders engaged in extreme or
 stunt riding, this activity is extremely dangerous, increases the risk of an accident, and increases the severity of
 any injury.
- The action depicted is performed by professionals under strictly controlled riding conditions.
- Only you know the limits of your riding ability and only you can control the conditions under which you ride. By
 and in consideration for his/her purchase and use of the RIZOMA product, the user expressly recognizes and
 agrees that in the event of any claim arising out of the use of this RIZOMA product, whether such claim is
 based in contract, warranty, tort (personal injury or wrongful death) or otherwise, the laws of the Republic of
 Italy shall apply and jurisdiction and venue for any such action shall be in the Courts of Busto Arsizio, Italy.
- All riders are strongly urged to take a motorcycle rider safety clinic. Always wear a properly fitted and fastened
 motorcycle helmet (RIZOMA recommends a full face helmet), that has been approved by ANSI, SNELL, CE, or
 any other relevant authority, and any other safety equipment necessary for your riding style, such as full finger
 gloves, boots, and body armor.
- Be sure to read and follow all the instructions and warnings that originally accompanied your motorcycle, as well


as the literature that accompanied any other component parts installed on your motorcycle.

• Be sure that your tires are inflated to the correct pressure and that there is no damage whatsoever in the tread or sidewall of the tire.

Legal notes

Some of our products may not be approved for road circulation in the countries where homologation is required. Thus RIZOMA® srl declines any responsibility for a different use of its products.

Documents / Resources



References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.