



**MA009
Variable
Section
Handlebars**



rizoma MA009 Variable Section Handlebars User Manual

[Home](#) » [rizoma](#) » rizoma MA009 Variable Section Handlebars User Manual 

Contents

- [1 rizoma MA009 Variable Section Handlebars](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 General conditions](#)
- [5 INSTALLATION](#)
- [6 Warnings](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



rizoma MA009 Variable Section Handlebars



Product Information

Rizoma products are designed to enhance the performance and aesthetics of your motorcycle. It is essential to follow the instructions provided in the user manual for correct installation and maintenance to ensure the safety and functionality of the product.

Specifications:

- Product Name: Tapered Handlebars
- Part Number: MA009

Product Usage Instructions

Installation:

1. Read and understand the user manual thoroughly before installation.
2. Ensure all accessories are positioned correctly before tightening to avoid compromising product functionality.
3. After installation, check the functionality of related motorcycle components like brakes, throttle, clutch, lights, and steering.

Maintenance:

Regularly inspect your Rizoma products for any signs of damage such as leaks, bends, cracks, or wear. If any issues are detected, have a Rizoma dealer inspect the product before further use. Do not attempt to repair or modify the product yourself.

Compatibility:

Rizoma products may not be compatible with all motorcycles or aftermarket accessories. Contact your authorized Rizoma dealer for guidance on compatibility.

FAQ:

- **Q: What should I do if I notice any damage to my Rizoma product?**

A: If you notice any damage such as leaks, bends, cracks, or wear on your Rizoma product, immediately have it inspected by a Rizoma dealer before using the motorcycle again.

- **Q: Can I repair or modify my Rizoma product myself?**

A: It is recommended not to repair or modify Rizoma products yourself. Always replace with Rizoma original components and seek assistance from a Rizoma dealer for any repairs or modifications.

Welcome to Rizoma

Before you start

We are pleased to welcome you into the world of RIZOMA, and we congratulate you for your excellent choice. Please carefully follow the instructions in this guide, which will allow you to mount and use the product correctly and enjoy all the features it has. For your protection and safety, RIZOMA expressly recommends that you have the installation of the product performed by skilled personnel. Improper installation, repair or maintenance, can cause accidents. Keep this user guide as a reference for the future. RIZOMA accepts no liability for any damage, of any kind, which may be caused, directly or indirectly, to persons or things as a result of incorrect assembly or failure to observe all the assembly instructions. We also invite you to comply with the provisions of the Highway Code and Traffic rules and/or to additional regulations in force in your Country.

General conditions

Attention: This component comes assembled for shipping purposes only. Tighten all fasteners to appropriate torque specifications before riding.

Descriptions preceded by this symbol contain information, instructions, or procedures, which, if not followed,

may result in death or serious injury.

1. Carefully read, understand and follow these instructions, they are an essential part of the product. If you have any doubt whatsoever regarding the installation or use of your RIZOMA product, please see your authorized RIZOMA dealer for assistance (on www.rizoma.com).
2. For correct installation, all tightening has to be done after the correct positioning of the accessories without restricting the moving parts, to not compromise the correct functioning of the product. 3-After installing any Rizoma product, please check that all related components of the motorbike function e.g. brakes, throttle, clutch, lights and steering. We strongly suggest repeating these checks periodically, especially after long trips or prolonged periods of not using the bike.

Your RIZOMA products require regular inspection and maintenance. The more you ride the more often you must inspect your RIZOMA products. If your products are leaking, bent, deformed, cracked, chipped or worn, no matter how slight, immediately have a RIZOMA dealer inspect the products before you ride again. In any case never try to repair or modify the Rizoma products or their components, always replace with Rizoma original components.

Rizoma products may not be compatible with your motorcycle or with other aftermarket equipment installed before. For your safety Rizoma suggests to always contact your RIZOMA dealer.

O.E.M.: original equipment manufacturer.


Tapered handlebars



Consult the website www.rizoma.com, click on the MA009 page the section "MEDIA", to download the TÜV approval document in PDF format.

PART NUMBER
MA009

Step 2




Attention: ensure that the nominal diameter of your riser kit and handlebar at the locking point are compatible.

ALIGNING HANDLEBAR

Step 3

PART NUMBER
MA009




Warning: the handlebar must be centred in the riser kit.

REGOLAZIONE MANUBRIO ADJUSTMENT HANDLEBAR

PART NUMBER

MA009


Step 4



Warning: before finally securing the handlebar, turn it clockwise or anticlockwise to find the desired position. The handlebar must not be in contact with any part of the motorbike. After final fixing of the handlebar, turn the handlebar completely from left to right and back again, several times. Ensure that the handlebar moves freely and without obstruction.

INSTALL COMPONENTS

Step 5



Warning: insert the various components (grips, handlebar electric control and lever chassis) on the handlebar, turn the handlebar completely from left to right and back again, several times. Ensure that the handlebar moves freely and unobstructed. Check the throttle control, brake/clutch cables, hydraulic lines and electrical wiring to ensure that they are not restricting the movement of the handlebars and that they are not constricted, kinked or pinched. Ensure that all components of your motorbike continue to function properly. In some installations, it is necessary to drill holes in the handlebars to install the throttle control and switch blocks. Before drilling the handlebar, ensure the correct positioning of the various parts and the correct hole diameter. **INCORRECT DRILLING (POSITION OR DIAMETER OF THE HOLE) CAN CAUSE PROBLEMS WHEN RIDING THE MOTORBIKE OR BREAK THE HANDLEBAR..** The equipment for drilling the handlebar is not included in the kit.


Warnings

- RIZOMA reserves the right, in its sole discretion, to make changes to the product and this information at any time and without prior notice.
- Although many catalogs and advertisements depict riders engaged in extreme or stunt riding, this activity is extremely dangerous, increases the risk of an accident, and increases the severity of any injury.
- The action depicted is performed by professionals under strictly controlled riding conditions.
- Only you know the limits of your riding ability and only you can control the conditions under which you ride.
- By and in consideration for his/her purchase and use of the RIZOMA product, the user expressly recognizes and agrees that in the event of any claim arising out of the use of this RIZOMA product, whether such claim is based in contract, warranty, tort (personal injury or wrongful death) or otherwise, the laws of the Republic of Italy shall apply and jurisdiction and venue for any such action shall be in the Courts of Busto Arsizio, Italy.
- All riders are strongly urged to take a motorcycle rider safety clinic.
- Always wear a properly fitted and fastened motorcycle helmet (RIZOMA recommends a full-face helmet), that has been approved by ANSI, SNELL, CE, or any other relevant authority, and any other safety equipment necessary for your riding style, such as full-finger gloves, boots, and body armor.
- Be sure to read and follow all the instructions and warnings that originally accompanied your motorcycle, as well as the literature that accompanied any other parts installed on your motorcycle.
- Be sure that your tires are inflated to the correct pressure and that there is no damage whatsoever in the tread or sidewall of the tire.

Legal notes

Some of our products may not be approved for road circulation in the countries where homologation is required. Thus RIZOMA® srl declines any responsibility for a different use of its products.

Documents / Resources

	rizoma MA009 Variable Section Handlebars [pdf] User Manual MA009 Variable Section Handlebars, MA009, Variable Section Handlebars, Section Handlebars , Handlebars
---	--

References

- [🏠 Home - Rizoma](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.