




# robot coupe R2N Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl Instruction Manual

[Home](#) » [Robot-coupe](#) » robot coupe R2N Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl Instruction Manual 

## Contents

- [1 robot coupe R2N Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl Instruction Manual](#)
- [2 SALES FEATURES](#)
- [3 B TECHNICAL FEATURES](#)
- [4 TECHNICAL DATA](#)
- [5 VEGETABLE PREPARATION FUNCTION](#)
  - [5.1 MOTOR BASE](#)
- [6 CUTTER FUNCTION](#)
- [7 VEGETABLE FUNCTION](#)
- [8 COULIS/ FRUIT SAUCE & CITRUS PRESS FUNCTIONS:](#)
- [9 ACCESSORIES INCLUDED](#)
- [10 R 2 N Ultra](#)
- [11 F OPTIONAL ACCESSORIES](#)
- [12 OTHER OPTIONS](#)
- [13 SUGGESTED PACKS OF DISCS](#)
  - [13.1 3 disc package](#)
  - [13.2 5 disc package](#)
- [14 OPTIONAL DISCS](#)
- [15 G ELECTRICAL DATA](#)
  - [15.1 120V/60/1 – delivered with cord and plug](#)
- [16 Read More About This Manual & Download PDF:](#)
- [17 Documents / Resources](#)
- [18 Related Posts](#)

## robot coupe R2N Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl Instruction Manual



### SALES FEATURES

**A R 2 N Ultra Combination Processor:** Bowl cutter & Vegetable Prep equipped with a cutter attachment for chopping, fine mincing, emulsions, grinding and kneading, and a vegetable preparation attachment for slicing, grating, ripple cut slicing, and julienne.

### B TECHNICAL FEATURES

R 2 N Ultra Combination Processor: Bowl cutter & Vegetable Prep. Single phase 120/60/1. Power 1 HP. Speed: 1725 rpm. 2.9 L cutter bowl in stainless steel and smooth bowl-base blade assembly. Vegetable preparation attachment in composite material equipped with 2 hoppers : 1 large and 1 cylindrical hopper. Supplied with 2 mm (5/64") grating and 4 mm (5/32") slicing discs. Large range of 23 stainless steel discs available as option. 10 to 30 meals. Select your options at the back page, F part.

### TECHNICAL DATA

## C TECHNICAL DATA

|                 |                   |
|-----------------|-------------------|
| Output power    | 1 HP              |
| Electrical data | 120V/60/1 – 7 Amp |

|       |          |
|-------|----------|
| Speed | 1725 rpm |
|-------|----------|

|                    |                               |
|--------------------|-------------------------------|
| Dimensions (WxDxH) | 8 3/4" x 15 13/16" x 19 3/16" |
|--------------------|-------------------------------|

|                       |     |
|-----------------------|-----|
| Rate of recyclability | 95% |
|-----------------------|-----|

|            |        |
|------------|--------|
| Net weight | 27 lbs |
|------------|--------|

|        |       |
|--------|-------|
| Nema # | 5-15P |
|--------|-------|

|           |                       |
|-----------|-----------------------|
| Reference | R 2 N Ultra 120V/60/1 |
|-----------|-----------------------|

## D

|                                       |                        |
|---------------------------------------|------------------------|
| Number of meals per service           |                        |
| Quantity per batch in cutter function | 10 to 30 Up to 2.2 lbs |
| Vegetable slicer output               | Up to 90 lbs/h         |

## VEGETABLE PREPARATION FUNCTION

### MOTOR BASE

- Direct drive induction motor (no belt) for intensive use.
- Power1 HP
- Stainless steel motor shaft.

- Built in on / off / pulse buttons.
- Speed: 1725 rpm.
- Pulse button for better cut precision.

## **CUTTER FUNCTION**

- 2.9 L stainless steel cutter bowl with handle, and high resistance smooth blade assembly.

## **VEGETABLE FUNCTION**

- Vegetable preparation attachment equipped with 2 hoppers : 1 large hopper (surface : 12 square inches) and 1 cylindrical hopper (Ø : 2 1/4"). Removable bowl and lid.
- Removable chute and feed lead for dishwasher safe and easy cleaning.
- Vertical pusher presses on vegetables for uniform cuts.
- Large range of 23 stainless steel discs available as option

## **COULIS/ FRUIT SAUCE & CITRUS PRESS FUNCTIONS:**

- Option: Juice Extractor Kit including a coulis/ fruit sauce attachment and a citrus press attachment to prepare amusebouche, in-a-glass preparations, sauces, soups, sorbets and ice cream, smoothies, jam, fruit pastes...

## **ACCESSORIES INCLUDED**

- Cutter attachment: lid and high resistance stainless steel smooth blade assembly with removable cap.
- Vegetable attachment : chute, feed lead and discharge plate.
- Supplied with 2 mm (5/64") grating and 4mm (5/32") slicing discs

## **STANDARDS**

ETL electrical and sanitation Listed/ cETL (Canada)

## **R 2 N Ultra**

## **F OPTIONAL ACCESSORIES**

- **BLADE OPTIONS**
  - Coarse serrated blade assembly for kneading and grinding, ref 27138
  - Fine serrated blade assembly for chopping herbs and spices, ref 27061

- **OTHER OPTIONS**

- Juice Extractor Kit for fruit sauces and citrus fruit juice, ref 27393
- Wall-mounted blade and disc holder: holds 1 blade and 8 discs, ref 107810

## **SUGGESTED PACKS OF DISCS**

### 3 disc package

6mm (1/4") coarse grating, 6mm (1/4"x1/4") julienne and 1mm (1/32") slicing discs.

### 5 disc package

6mm (1/4") coarse grating, 6mm (1/4"x1/4") julienne and 1mm (1/32") slicing, 2mm (5/64") julienne and 6 mm (1/4") slicing discs.

### OPTIONAL DISCS

#### SLICING

|                     |              |
|---------------------|--------------|
| <b>1 mm (1/32")</b> | <b>27051</b> |
| <b>2 mm (5/64")</b> | <b>27555</b> |
| <b>3 mm (1/8")</b>  | <b>27086</b> |
| <b>4 mm (5/32")</b> | <b>27566</b> |
| <b>5 mm (3/16")</b> | <b>27087</b> |
| <b>6 mm (1/4")</b>  | <b>27786</b> |

#### RIPPLE CUTTING

|                     |              |
|---------------------|--------------|
| <b>2 mm (5/64")</b> | <b>27621</b> |
|---------------------|--------------|



## GRATING

|                   |       |
|-------------------|-------|
| 1.5 mm (1/16")    | 27588 |
| 2 mm (5/64")      | 27577 |
| 3 mm (1/8")       | 27511 |
| 6 mm (1/4")       | 27046 |
| 9 mm (11/32")     | 27632 |
| Hard Cheese grate | 27764 |
| Röstis potatoes   | 27191 |
| Fine Pulping Disc | 27078 |
| Pulping Disc      | 27079 |
| Pulping Disc      | 27130 |


## JULIENNE

|                        |       |
|------------------------|-------|
| 2x4 mm (5/64" x 5/32") | 27080 |
| 2x6 mm (5/64" x 1/4")  | 27081 |
| 2x2 mm (5/64" x 5/64") | 27599 |
| 4x4 mm (5/32" x 5/32") | 27047 |
| 6x6 mm (1/4" x 1/4")   | 27610 |
| 8x8 mm (5/16" x 5/16") | 27048 |



### G ELECTRICAL DATA

120V/60/1 – delivered with cord and plug



***Read More About This Manual & Download PDF:***

## Documents / Resources



[robot coupe R2N Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl](#) [pdf] Instruction Manual

R2N Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl, R2N, Continuous Feed Combination Food Processor with 3-Quart Clear Polycarbonate Bowl