



rocstor Y10A262-B1 USB Type-C to Gigabit Ethernet Adapter User Manual

[Home](#) » [rocstor](#) » rocstor Y10A262-B1 USB Type-C to Gigabit Ethernet Adapter User Manual 

rocstor[®]

Y10A262-B1 USB Type-C to
Gigabit Ethernet Adapter



User Manual

USB Type-C® to Gigabit Ethernet Adapter with
3-Port USB 3.0 Hub and USB-C® 60W PD – Black
Y10A262-B1

Contents

- [1 Congratulations](#)
- [2 Safety Information:](#)
- [3 Features](#)
- [4 Introduction](#)
- [5 Package Contents](#)
- [6 How to Use](#)
- [7 Specification](#)
- [8 System Requirement](#)
- [9 Connection Diagram](#)
- [10 Support](#)
- [11 Warranty Information](#)
- [12 Documents / Resources](#)
- [13 Related Posts](#)

Congratulations

Thank you for purchasing this premium Rostro product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

Safety Information:

WARNING: Please follow these safety instructions. Failure to do so may result damages or injury.

It is normal that the Rostro Multi-port Hub adapter becomes very warm during use.

Please note that:

continuous contact with warm surfaces for extended time may cause discomfort or injury. In order to reduce the possibility of overheating or heat-related injuries, always allow needed ventilation around the Rostro Multi-port Hub adapter and use care when handling it. Avoid instances where your skin is in extended contact with the hub when plugged into the host computer. It is not recommended to sleep with the adapter when plugged into a host computer. Avoid placing the hub adapter under a pillow, blanket, or your body when connected to a host computer. If you have a medical condition that affects your ability to detect heat against the body, extra care should be used. Never use the adapter in locations with water, such as a sink, bathtub, or shower stall. Never connect or disconnect the adapter with wet hands.

Features

Upstream:

USB Type-C Male (Connect to host computer)



Downstream:

USB-A x3



- Supports USB 3.0 super speed (5Gbps) transmission, downward compatible with USB 2.0
- USB 3.0 (Port1) Supports max 7.5W (5V/1.5A) downstream charging port.

- USB 3.0 (Port2 & 3) port supports to charge and transmit data for the USB device simultaneously
- 2 USB-A share max 2.8A output

Gigabit RJ45 Ethernet x1



- Supports 10/100 /1000Mbps bandwidth

Type-C x1



- Supports to charge for the MacBook or Google new Chromebook Pixel and other USB-C supported and supply power for the product simultaneously).

Type-C x1

Supports charging of MacBook's or the new Google Pixel Chromebooks and other USB-C supported devices simultaneously while delivering power.

FEATURES

- Supports twisted pair crossover detection and auto-correction.
- Multiple USB-C interfaces support plug and play, hot swappable.
- Max 1.5A for the port farthest from the RJ45 (only one port is connected) Max 900mA per port for the other two ports (only one port is connected) Max 1.5A when three ports are connected.

Introduction

This is a premium rector USB-C to USB 3.0×3 with Gigabit Ethernet and USB-C charging port hub. The three(3) USB3.0 ports allow you to connect three USB devices or hubs to the host computer, the USB-C female port can charge for the host computer and the host computer can easily get access to the network through the Gigabit Ethernet port. It can work on MacBook or Google new Chromebook Pixel and other USB-C supported devices.

Package Contents

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the Packaging:

- Main unit x1
- User Manual x1

How to Use

1. Connect this USB-C multiport adapter to the host computer.

2. Connect the three(3) USB 3.0 outputs of this multiport adapter to three(3) USB 3.0 devices.
3. Connect Gigabit Ethernet port of this product to Ethernet Router with an Ethernet cable.
4. Automatically or manually set IP address of computer.
5. Connect the USB-C charging port, it can charge for the host computer and support this adapter to work simultaneously.

Note:

1. When connecting the USB-C multiport adapter to a Chromebook, the mouse will experience a few second delay when connecting to the USB 3.0 port. This problem also occurs in similar Type-C adapters (including the Apple original 3-in-1 adapter) when connected to a Chromebook.
2. In order to prevent possible data loss or corruption, avoid disconnecting the multiport adapter from the power outlet while transferring data. Plugging and unplugging the multiport adapter, the connected USB devices will get disconnect edh momentarily and then reconnect in a few seconds.

Specification**Input / Output Connector**

Input	USB Type-C Male x1
Output	USB 3.0 Female x3 USB-C Female x1 (for data and Charging) RJ45 X1

Warranty

Limited Warranty	2 Year
------------------	--------

Environmental

Operating Temperature	0°C to + 45°C – (32°F to + 113°F)
Operating Humidity	10% to 90 % RH (no condensation)
Storage Temperature	-10°C to + 70°C – (14°F to + 158°F)
Storage Humidity	10% to 90 % RH (no condensation)

Regulatory Approvals

Certifications	FCC, CE
----------------	---------

Power Supply

USB-C Female Port	Up to 60W (20V/3A)
-------------------	--------------------

Mechanical

Size (L-W-H)	95x41x17mm – (3.7"x1.6"x0.6")
Weight (Net)	44.9gr – (0.09Lbs)

Accessories

User Manual	English Version
-------------	-----------------

System Requirement

Host computer with an available USB-C Port

- USB 3.0/3.1/3.2

Operating systems

- Windows 7 / 8 / 10 / 11
- Android OS
- Chrome OS
- Linux OS
- Mac OS v10.5 or above

Connection Diagram



Support

Technical support is available to all the registered users of Rocstor products.

Technical Support / RMA	Tell: +1 (818) 727-7000 (National and international)
Hours: 9:00 am – 5:00 pm PST	Fax: +1 (818) 875-0002
Monday to Friday (except holidays)	Email: support@Rocstor.com



<https://rocstor.com/product/rocstor-premium-usb-c-to-gigabit-ethernet-adapter-with-3-port-usb-3-0-and-usb-c-hub/>

Warranty Information

Warranty Information

This product is backed by a (2)two-year warranty. Rocstor warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. Rocstor does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.


Limitation of Liability

In no event shall the liability of Restorage, Inc. and Rocstor (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of ports, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

©2021 Rocstroes, Inc. All rights reserved. Rocstor is registered trademark of Restorage, Inc. Apple®, the Apple logo, Mac®, MacBook®, MacBook Pro®, MacBook Air®, iPad®, iPad Air®, iPad mini®, iPad Air®, iPhone®, MacOS® are registered trademarks of Apple, Inc. Google® and Chromebook™ are registered trademarks of Google, LLC. Microsoft® is registered trademarks of Microsoft corporation. All other product names and logos mentioned herein may be trademarks of their respective companies. Thunderbolt is a trademark of Intel Corporation or its subsidiaries. USB Type-C® and USB-C® are registered trademark of USB Implementers Forum. Feature and specification are subject to change without notice. All trademarks and registered trademarks are the property of their respective. All rights reserved.



Documents / Resources

	<p>rocstor Y10A262-B1 USB Type-C to Gigabit Ethernet Adapter [pdf] User Manual Y10A262-B1 USB Type-C to Gigabit Ethernet Adapter, Y10A262-B1, USB Type-C to Gigabit Ethernet Adapter, Gigabit Ethernet Adapter, Ethernet Adapter</p>
---	--

[Manuals+.](#)