**Manuals+** — User Manuals Simplified.



# rocstor Y10A266-A1 USB-C Multiport Video Adapter 3-in-1, HDMI, VGA or DVI User Manual

rocstor Y10A266-A1 USB-C Multiport Video Adapter 3-in-1, HDMI, VGA or DVI User Manual



## Contents

## Features

Upstream
USB Type-C Male
(Connect to a host computer)

- Type-C supports reversible plug Downstream:

## VGA

- Supports VGA resolution up to 1920×1200@60Hz
- Supports RGB 4:4:4/ YCbCr 4:2:2/ YCbCr 4:2:0
- Supports HDCP1.4&2.2

## HDMI

- Supports HDMI resolution up to 4Kx2K@60Hz
- Supports HDMI 8/10/12bit
- Supports HDR
- Supports HDMI 9 Gbps Bandwidth

## DVI

- Supports DVI Resolution up to 1080P@60Hz

## FEATURES

- Allows HDMI and VGA to output simultaneously with 1080P/60Hz  under SST mode
- Allows DVI and VGA to output simultaneously with 1080P/60Hz under SST mode
- HDMI and DVI can not work at the same time
- Priority: VGA>DVI>HDMI

## Introduction

This is a premium Rocstor Type-C to DVI, HDMI and VGA adapter. It allows you to transmit signals from a Type-C source to a high definition DVI or HDMI or VGA display  (TV sets, projectors, etc). It is compatible with all DP Alt mode supported Type C or Thunderbolt 3 hosts. With this multiport adapter, you can watch video or slideshows on a big screen.

## Package Contents

This is a premium Rocstor Type-C to DVI, HDMI and VGA adapter. It allows you to transmit signals from a Type-C

source to a high definition DVI or HDMI or VGA display (TV sets, projectors, etc). It is compatible with all DP Alt mode supported Type C or Thunderbolt 3 hosts. With this multiport adapter, you can watch video or slideshows on a big screen

## Package Contents

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the Packaging:

- 1 x Main Unit
- User Manual

## How to Use

1. Connect this multiport adapter to the host computer.
2. Connect the DVI port to a DVI monitor.
3. Connect the HDMI port to an HDMI monitor.
4. Connect the VGA port to a VGA monitor.

## Specification

Input / Output Connector

**Input:** USB Type-C Male x1  Output USB-C Male x1HDMI Female x1 USB-C Female x1 (for data or Charging) USB-A Femalex1

**Warranty**

**Limited Warranty:** 3 Year

Environmental

**Operating Temperature:** 0°C to + 45°C – (32°F to + 113°F)
**Operating Humidity:** 10% to 90 % RH (no condensation)
**Storage Temperature:** -10°C to + 70°C – (14°F to +
**Storage Humidity:** 10% to 90 % RH (no condensation)

**Regulatory Approvals**

**Certifications:** FCC, CE

**Mechanical**

**Size (L-W-H):** 85x45x14.5mm – 3.3"x 1.7"x 0.5"
**Weight (Net):** 39gr – (0.08lbs)

**Accessories**

**User Manual:** English Version

## System Requirement

Host computer with an available USB-C Port

- USB 3.0/3.1/3.2

### Operating systems

- Windows 7 / 8 / 10 / 11
- Android OS
- Chrome OS
- Linux OS
- Mac OS v10.5 or above

## Connection Diagram



## Support

Technical support is available to all the registered users of Rocstor products.

Technical Support / RMA
Hours: 9:00 am – 5:00 pm PST
Monday to Friday (except holidays)
**Tell:** +1 (818) 727-7000 (National and international)
**Fax:** +1 (818) 875-0002
**Email:** [support@Rocstor.co](mailto:support@Rocstor.co)

## Warranty Information

This product is backed by a (3)three-year warranty. Rocstor warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. Rocstor does not warrant its products fromdefects or damages arising from misuse, abuse, alteration, or normal wear and tear.

### Limitation of Liability

In no event shall the liability of Rocstorage, Inc. and Rocstor (or their ocers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

## Safety Information:

**WARNING:** Please follow these safety instructions. Failure to do so may result damages or injury. It is normal that the Rocstor Multi-port Hub adapter becomes very warm during use.

### Please note that:

Continuous contact with warm surfaces for extended time may cause discomfort or injury. In order to reduce the possibility of overheating or heat-related injuries, always allow needed ventilation around the Rocstor Multi-port Hub adapter and use care when handling it. Avoid instances where your skin is in extended contact with the hub when plugged into the host computer. It is not recommended to sleep with the adapter when plugged into a host computer. Avoid placing the hub adapter under a pillow, blanket, or your body when connected to a host computer. If you have a medical condition that affects your ability to detect heat against the body, extra care should be used. Never use the adapter in locations with water, such as a sink, bathtub, or shower stall. Never connect or disconnect the adapter with wet hands.

## Documents / Resources

| | |
|---|---|
| | **rocstor Y10A266-A1 USB-C Multiport Video Adapter 3-in-1, HDMI, VGA or DVI** [pdf] User Manual<br>Y10A266-A1 USB-C Multiport Video Adapter 3-in-1, HDMI VGA or DVI, Y10A266-A1, USB-C Multiport Video Adapter 3-in-1 HDMI VGA or DVIVideo Adapter 3-in-1 HDMI VGA or DVI, HDMI VGA or DVI |
| | **rocstor Y10A266-A1 USB-C Multiport Video Adapter** [pdf] User Manual<br>Y10A266-A1, USB-C Multiport Video Adapter, Video Adapter, USB-C Multiport Adapter, Adapter |

**Manuals+**,