



RODE STREAMERX Audio Interface and Video Streaming Console User Guide

[Home](#) » [Rode](#) » RODE STREAMERX Audio Interface and Video Streaming Console User Guide 

Contents

- 1 RODE STREAMERX Audio Interface and Video Streaming Console
- 2 FRONT PANEL
- 3 POWERING THE UNIT ON AND OFF
- 4 CONNECTING A MICROPHONE AND HEADPHONES
- 5 Documents / Resources
 - 5.1 References



RODE STREAMERX Audio Interface and Video Streaming Console



FRONT PANEL



1. Mic volume control/source selector
2. Headphone volume control/mute button
3. Mic mute button
4. Video cut button
5. Phantom power/mic input indicators
6. Four SMART pads with bank switch buttons

BACK PANEL



7. Power input
8. USB inputs
9. HDMI thru
10. HDMI in
11. 3.5mm headphone output
12. 1/4-inch headphone output
13. Neutrik® combo jack
14. P48 phantom power on/off


POWERING THE UNIT ON AND OFF

- To turn the unit on, simply connect to a power source (SV, 3A required) using the included power supply or by connecting to a computer using the included USB cable
- To turn the unit off, simply disconnect it from the power source

CONNECTING A MICROPHONE AND HEADPHONES

- Plug any XLR microphone into the Neutrik® combo jack at the back of the unit
- If your microphone requires phantom power, press the P48 switch on the back of the unit
- Press the mic gain control to select the analog input as the audio source (LED will turn purple)
- Connect headphones to the 1/4-inch or 3.5mm input on the back of the unit (note: ensure mic level is down before connecting headphones to avoid sudden loud noises)
- Ensure mic and headphones are turned up to a comfortable level before recording

Documents / Resources

	<p>RODE STREAMERX Audio Interface and Video Streaming Console [pdf] User Guide 2AEAN-STREAMERX, 2AEANSTREAMERX, STREAMERX, STREAMERX Audio Interface and Video Streaming Console, Audio Interface and Video Streaming Console, Interface and Video Streaming Console, Video Streaming Console, Streaming Console, Console</p>
---	---

References

- [User Manual](#)