

Contents [[hide](#)]

- [1 Roth Quick Temp Compact Compact Basic Systemplade](#)
- [2 Product Information](#)
- [3 Dimension](#)
- [4 Installations Instructions](#)
- [5 Frequently Asked Questions](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



Roth Quick Temp Compact Compact Basic Systemplade




Product Information

Specifications:

- Dimensions: 61 cm x 61 cm x 40 cm

- Max Load: 2 mm per meter
- Weight: X mm
- Installation Types: Concrete subfloor, Wood subfloor, Wetrooms


Dimension



This is a brief overview of the installation steps on concrete subfloor. Use the QR code above to access full instructions and the separate instructions for installation on wood subfloor and wetrooms.




Installations Instructions

1. Vacuum the subfloor.
2. Prime subfloor. Use universal primer (Lip 54).
3. Split the turn plate and lay it first. Use Roth Compact® Flex Fix.



4. Grooves between plates must be aligned.
5. Cut boards from the back, remove any burrs.




6. Use transfer plates for feed pipes/to fill gaps.



7. Vacuum the plates.

8. Degreased Alu using a diluted ammonia solution.




9. Install pipe tight/close to the inner circle in turns.



10. Install pipes and perform pressure test.

11. Plates must be primed with Roth QuickTemp Compact® primer before applying 10 mm Roth QuickTemp Clima Comfort® FLOW filler.

12. Always use Roth QuickTemp Compact® Flex Fix for tiles.



Frequently Asked Questions

Q: What type of adhesive should be used for installation?

A: Use Flex Fix adhesive for secure installation on various surfaces including tiles.

Q: What is the maximum load capacity of the product?

A: The product can withstand a maximum load of 2 mm per meter.

Documents / Resources

	Roth Quick Temp Compact Compact Basic Systemplade [pdf] Installation Guide paa_beton_med_flisegulv, Quick Temp Compact Compact Basic Systemplade, Temp Compact Compact Basic Systemplade, Compact Basic Systemplade, Basic Systemplade
---	--

References

- [User Manual](#)

📁 Roth

🔍 Basic Systemplade, Compact Basic Systemplade, paa_beton_med_flisegulv, Quick Temp Compact Compact Basic Systemplade, Roth, Temp Compact Compact Basic Systemplade

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.