




ROWATT SPH 3000TL-HUB All In One Energy Storage Solution User Guide

[Home](#) » [ROWATT](#) » ROWATT SPH 3000TL-HUB All In One Energy Storage Solution User Guide 



SPH 3000-6000TL-HUB
All-In-One Energy Storage Solution





P O W E R
- I N G
T O M O -
R R O W

- Easy installation with modular design
- Faster energy store with 0.75C battery charge power
- Smart bypass function ensures continues critical loads
- Max. 16A PV input per string
- Type II/III SPD on DC/AC side
- VPP interface ready

en.growatt.com

Contents

[1 System Parameters](#)

[2 Documents /
Resources](#)

[2.1 References](#)

System Parameters

System schematic								
Battery model	ALP 50L-E1							
Battery type	LiFePO4							
Number of inverter module	1							
Number of battery module	1	2	3	4	5	6	7	8
Energy capacity	5kWh	10kWh	15kWh	20kWh	25kWh	30kWh	35kWh	40kWh
Weight	80kg	125kg	170kg	215kg	260kg	305kg	350kg	395kg
Dimension (W/D/H)	690/186/1102mm	690/186/1397mm	690/186/1692mm	690/186/1987mm	690/186/1692mm 690/186/705mm	690/186/1692mm 690/186/1000mm	690/186/1692mm 690/186/1295mm	690/186/1987mm 690/186/1295mm
Inverter Module	SPH 3000TL-HUB	SPH 3600TL-HUB	SPH 4000TL-HUB	SPH 4600TL-HUB	SPH 5000TL-HUB	SPH 6000TL-HUB		
Input Data (PV)								
Max. recommended PV power (for module STC)	6000W	7200W	8000W	9200W		10000W	12000W	
Max. DC voltage	600V							
Start voltage	100V							
Nominal voltage	370V							
MPP work voltage range	100V~560V							
No. of MPP trackers	2							
No. of PV strings per MPP tracker	1							
Max. input current per MPP tracker	16A							
Max. short-circuit current per MPP tracker	24A							
Output/Input Data (AC)								
AC nominal power	3000W	3680W	4000W	4600W	5000W	6000W		
Rated AC apparent power	3000VA	3680VA	4000VA	4600VA	5000VA	6000VA		
Nominal AC voltage/range	230V ; 180Vac~260Vac							
Nominal frequency/range	50/60Hz; 45~55Hz/55~65Hz							
Rated input/output current	13A/13A	16A/16A	17.3A/17.3A	20A/20A	21.7A/21.7A	26A/26A		
Max. input/output current	16/16A	16/16A	22/22A	22/22A	27/27A	27/27A		
Adjustable power factor	0.8leading...0.8lagging							
THDi	<3%							
AC connection	Single phase							
Backup Power(AC)								
Rated output apparent power	3000VA	3680VA	4000VA	4600VA	5000VA	6000VA		
Nominal voltage	230V							
Nominal frequency	50/60Hz							
Rated output current	13A	16A	17.3A	20A	21.7A	26A		
THDv	3%							
Switch time	≤15ms							

Battery Data (DC)

Battery module	ALP 50L-E1
Normal voltage	51.2V
Number of battery modules	1~8
Energy capacity	5~40kWh
Max. discharge/charge rate	0.75C
DoD	92%
Dimensions (W/D/H)	690/185/295mm

General Data

Operating temperature range	0°C ... +45°C
DC/AC surge protection	Type II/III
Altitude	3000m
Self-Consumption	< 10 W
Cooling	Natural
Relative humidity	5~95%
Protection degree	IP66
PV connection	MC4
AC connection	Connector
Battery connection	Quick Terminal
Installation method	Floor/Wall mount
Display	LCD
Warranty	10 years
Interfaces	RS485/USB/CAN/Wi-Fi/GPRS
Country of manufacturing	Made in China

CE, IEC62109, IEC61000, AS4777.2:2020, CEC

* SHENZHEN GROWATT NEW ENERGY CO.,LTD All rights reserved. Subject to change without notice.

* The maximum working voltage is 560V, and if it exceeds 560V, the system will not work or stop working; The maximum input voltage is 600V, there is a risk of damage if the maximum value is exceeded.

* Due to the limitation of battery discharge current, if there is only one pack, the maximum discharge power of the inverter is only 3.8kw. If the discharge power needs to reach >4kw, the minimum capacity configuration requires two packs.”

* SHENZHEN GROWATT NEW ENERGY CO.,LTD All rights reserved. Subject to change without notice.

SHENZHEN GROWATT NEW ENERGY CO.,LTD.


T: + 86 755 2747 1900

F: + 86 755 2749 1460

A: 4-13/F,Building A,Sino-German(Europe)Industrial Park,Hangcheng Ave,Bao'an District, Shenzhen, China

E: info@ginverter.com

Documents / Resources

	<p>ROWATT SPH 3000TL-HUB All In One Energy Storage Solution [pdf] User Guide SPH 3000TL-HUB All In One Energy Storage Solution, SPH 3000TL-HUB, All In One Energy Storage Solution, Energy Storage Solution, Storage Solution, Solution</p>
---	---

References

-  [Growatt | Global Leading Distributed Energy Solution Provider](#)

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.