

RTMOK Sippy Cup Strap



# RTMOK Sippy Cup Strap Instruction Manual

[Home](#) » [RTMOK](#) » RTMOK Sippy Cup Strap Instruction Manual 

## Contents

- [1 RTMOK Sippy Cup Strap](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Manufacturer Statement](#)
- [5 Test Requested and Conclusion](#)
  - [5.1 Test Result\(s\)](#)
- [6 Test Material List](#)
- [7 Documents / Resources](#)
  - [7.1 References](#)

# RTMOK

**RTMOK Sippy Cup Strap**



## Product Information

### Specifications

- **Sample Name:** Silicone Baby Toy Strap/Silicone Baby Bottle Strap
- **Style No:** GY-YMX001
- **Colour Options:** 2050C, 2060C, 277C, 7542C, cool grey7C, 2070C
- **Age Group for Testing:** 18m+
- **Manufacturer:** Dongguan Bochuang Electronic Co., LTD

### Product Usage Instructions

#### Attaching the Silicone Baby Toy Strap/Bottle Strap

Ensure the strap is securely attached to the baby toy or bottle by following these steps:

1. Wrap the strap around the toy or bottle.
2. Insert the end of the strap through the loop and pull tight.
3. Adjust the length of the strap as needed.

#### Cleaning and Maintenance

To maintain hygiene and prolong the lifespan of the strap, follow these cleaning instructions:

- Use mild soap and water to clean the strap regularly.
- Avoid using harsh chemicals or abrasive cleaners.

- Air-dry the strap thoroughly before reusing it.

### Safety Precautions

Ensure the following safety measures are taken when using the Silicone Baby Toy Strap/Bottle Strap:

- Do not leave the baby unattended while using the product.
- Regularly inspect the strap for any signs of wear or damage.
- Keep small parts of the strap away from children to prevent choking hazards.

### Frequently Asked Questions (FAQ)

- **Q: Can the Silicone Baby Toy Strap/Bottle Strap be used with all types of baby bottles?**  
A: Yes, the strap is designed to be versatile and can be used with most standard baby bottles.
- **Q: Is the Silicone Baby Toy Strap/Bottle Strap adjustable in length?**  
A: Yes, the strap is adjustable to accommodate different sizes of toys or bottles.
- **Q: How should I store the Silicone Baby Toy Strap/Bottle Strap when not in use?**  
A: Store the strap in a clean and dry place away from direct sunlight to maintain its quality.



### Manufacturer Statement

- **Report No.:** PTC23052202908C-EN01
- **Issue Date:** May.26, 2023
- **Applicant:** Dongguan Guangyuan Network Technology Co., LTD
- **Address:** Room 503, No.30 Banhu Road, Huangjiang Town, Dongguan City, Guangdong Province

The following merchandise was (were) submitted and identified by the client:

- **Sample Name:** Silicone Baby Toy Strap/Silicone Baby Bottle Strap
- **Style No:** GY-YMX001
- **Colour:** 2050C,2060C,277C,7542C,cool grey7C,2070C
- **Age Group for Testing:** 18m+
- Applicant's Specified
- **Age Group for Testing:** 18m+
- **Manufacturer:** Dongguan Bochuang Electronic Co., LTD
- **Address:** No.6, 18 Lane, Shuixiang New District, Weide Community, Humen Town, Dongguan City, Guangdong Province
- **Sample Received Date:** May.22, 2023
- **Completed Date:** May.26, 2023



Prepared by: Anne

Checked by: Crystal

Approved by: Miya

Anne

Crystal

Miya

### Test Requested and Conclusion

No.	Test Sample	Standard and Requirement	Conclusion(s)
1)	Submitted sample	ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety – Mechanical and Physical Properties	PASS
2)	Submitted sample	ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety – Flammability	PASS
3)	Submitted sample	U.S. Federal Hazardous Substances Act (FHSA) CPSC 16 CFR 1500.3(c)(6)(vi) – Flammability of Solids	PASS
4)	Submitted sample	CPSC 16 CFR 1500.48, CPSC 16 CFR 1500.49, CPSC 16 CFR 1501 – Sharp Points, Sharp Edges, Small Parts	PASS
5)	Submitted sample	ASTM F963-17 "Standard consumer safety specification for toy safety," Section 4.3.5.2. – Total Lead content in the substrate material	PASS
6)	Submitted sample	ASTM F963-17 "Standard consumer safety specification for toy safety," Section 4.3.5.2 – Soluble Heavy Metals content	PASS
7)	Submitted sample	Consumer Product Safety Improvement Act of 2008(CPSIA), section 101 (a)(2) – Total Lead (Pb) in accessible substrate materials	PASS

8)	Submitted sample	Consumer Product Safety Improvement Act of (CPSIA) and its amendment 16 CFR 1307 – Phthalates (DEHP, DBP, BBP, DINP, DIBP, DCHP, DPENP, DHEXP)	PASS
9)	Submitted sample	Client's Requirement according to the Consent Decrees of California Proposition 65 – Total Lead (Pb), Total Cadmium (Cd), Phthalates	PASS
10)	Submitted sample	As specified in the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products. (For Packaging)	PASS
11)	Submitted sample	CPSC 16 CFR 1303: Ban of Lead-containing paint and certain	N.A.

		consumer products bearing lead-containing paint – Total Lead (Pb)	
--	--	--	--

- Remark: N.A. = Not Applicable

Test Result(s): Please refer to the next page(s).

#### Test Result(s)

#### **ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety** Mechanical and Physical Properties

Section	Test Item	Assessment
4.1	Material quality	PASS
4.3.7	Stuffing Materials	N.A.
4.4	Electrical/Thermal Energy	N.A.
4.5	Sound-producing toys	N.A.
4.6	Small objects	
4.6.1	Toys intended for children under 36 months of age	PASS
4.6.2	Mouth actuated toys and inflatable toy	N.A.
4.7	Accessible edges	PASS
4.8	Projections	N.A.
4.9	Accessible points	PASS
4.10	Wires or rods	N.A.
4.11	Nails and fasteners	N.A.
4.12	Plastic film	PASS
4.13	Folding mechanisms and hinges	N.A.
4.14	Cords, straps, and elastic	N.A.
4.15	Stability and over-load requirements	N.A.
4.16	Confined spaces	N.A.
4.17	Wheels, tires, and axles	N.A.
4.18	Holes, clearance, and accessibility of mechanisms	N.A.
4.19	Simulated protective devices (such as helmets, hats,and goggles)	N.A.
4.20	Pacifiers	N.A.
4.21	Projectile toys	N.A.
4.22	Teethers and teething toys	N.A.
4.23	Rattles	N.A.
4.24	Squeeze Toys	N.A.
4.25	Battery-operated toys	N.A.
4.26	Toys intended to be attached to a crib or playpen	N.A.
4.27	Stuffed and beanbag-type toys	N.A.
4.28	Stroller and carriage toys	N.A.

4.29	Art materials (For label)	N.A.
4.30	Toy gun marking	N.A.
4.32	Certain toys with nearly spherical ends	N.A.
4.34	Balls	
4.34.1	Balls intended for children under 36 months of age	N.A.
4.35	Pompoms	N.A.
4.36	Hemispheric-shaped objects	N.A.
4.37	Yo Yo elastic tether toys	N.A.
4.38	Magnets	N.A.
4.39	Jaw entrapment in handles and steering wheels	N.A.
4.40	Expanding materials	N.A.
4.41	Toy Chests	N.A.
5	Labeling Requirements	
5.4	Aquatic toys	N.A.
5.5	Crib and playpen toys	N.A.
5.6	Mobiles	N.A.
5.7	Stroller and carriage toys	N.A.
5.8	Toys intended to be assembled by an adult	N.A.
5.9	Simulated protective devices	N.A.
5.10	Toys with functional sharp edges or points	N.A.
5.11	Small objects, small balls, marbles, and balloons	N.A.
5.12	Toy caps	N.A.
5.13	Art materials	N.A.
5.14	Electric toys	N.A.
5.15	Battery-operated toys	N.A.
5.16	Promotional materials	PASS
5.17	Magnets	N.A.
6	Instructional Literature	
6.1	Definition and description	PASS
6.2	Crib and playpen toys	N.A.
6.3	Mobiles	N.A.
6.4	Toys intended to be assembled by an adult	N.A.

6.5	Battery-operated toys	N.A.
6.6	Battery Powered Ride-on Toys	N.A.
6.7	Toys in contact with food	N.A.
6.8	Toy Chests	N.A.
7	Producer's marking	
7.1	Name of the producer or the distributor	YES
	Address of the producer or the distributor	YES
7.2	Battery-powered ride toys	N.A.
7.3	Toy Chests	N.A.

**Note:**

1. N.A.= Not Applicable

The submitted samples underwent the use and abuse tests by the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

Test Items	FHSA	Parameter
Drop Test	Section 1500.51(b)	10×4.5 ft
Torque Test	Section 1500.53(e)	4.0 inch •lbf
Tension Test	Section 1500.53(f)	15 lbf

**ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety**  
Flammability of Solids and Soft Toys

Sample	Ignition Points	Burn Length (in.)	Burn Time (sec.)	Burn Rate(in./sec.)	Limit (in./sec.)
Silicone Baby Toy Strap/Silicone Baby Bottle Strap	Edge	0	0	DNI	0.1

**Note:**

1. DNI = Did Not Ignite

All styles of the submitted sample(s) (and its accessories) were/were tested, the above result only showed the most severe burn rate.

**CPSC 16 CFR 1500.48, CPSC 16 CFR 1500.49, CPSC 16 CFR 1501**

Sharp Points, Sharp Edges, Small Parts

	Sharp Points (1500.48)	Sharp Edges (1500.49)	Small Parts (1501)
As received	PASS	PASS	PASS
Impact test (1500.51(b))	PASS	PASS	PASS
Bite test (1500.5/(c))	N.A.	N.A.	N.A.
Flexure test (1500.5/(d))	N.A.	N.A.	N.A.
Torque test (1500.53(e))	PASS	PASS	PASS
Tension test (1500.53(f))	PASS	PASS	PASS
Compression test (1500.5/(g))	N.A.	N.A.	N.A.

**Note:** N.A. = Not Applicable

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:		
Test Items	FHSA	Parameter
Impact Test	Section 1500.51(b)	10×4.5 ft
Torque Test	Section 1500.53(e)	4.0 inch •lbf
Tension Test	Section 1500.53(f)	15 lbf

**ASTM F963-17 “Standard consumer safety specification for toy safety,” Section 4.3.5.2.**

Total Lead content in the substrate material

**Method:**

ASTM F963-17 Section 8.3.1, was analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES).

Material No.	RL (mg/kg)	Limit (mg/kg)	Result (mg/kg)	Conclusion
1+2+3	5	100	N.D.	PASS
4+5+6	5	100	N.D.	PASS

**Note:**

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (< RL ).
3. RL = Report Limit.

**ASTM F963-17 “Standard consumer safety specification for toy safety,” Section 4.3.5.2**

Soluble Heavy Metals content

**Method:**

ASTM F963-17 Section 8.3.2 to Section 8.3.5, was analyzed by Inductively Coupled Plasma Optical

Emission Spectroscopy (ICP-OES).

Elements	Sb	As	Ba	Cd	Cr	Pb	Hg	Se	Conclusion
Limit (mg/kg)	60	25	1000	75	60	90	60	500	
RL (mg/kg)	5	2.5	5	5	5	5	5	5	
Material No.	Result (mg/kg)								
1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

**Note:**

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (< RL).
3. RL = Report Limit.
4. All the reported results are adjusted analytical results with the analytical correction shown in the following table.

Element	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical correction (%)	60	60	30	30	30	30	50	60

**Consumer Product Safety Improvement Act of 2008(CPSIA),section 101 (a)(2)**

The Lead content of accessible substrate materials

**Method:**

Metal – CPSC-CH-E1001-08.3,Nonmetal – CPSC-CH-E1002-08.3, was analyzed by Inductively

Coupled Plasma Optical Emission Spectroscopy (ICP-OES).

Material No.	RL(mg/kg)	Limit (mg/kg)	Result (mg/kg)	Conclusion
1+2+3	5	100	N.D.	PASS
4+5+6	5	100	N.D.	PASS

**Note:**

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (< RL).
3. RL = Reporting Limit.

**Consumer Product Safety Improvement Act of (CPSIA) and its amendment 16 CFR 1307**  
 Phthalates
**Method:**

CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

Substance name	CAS No.	RL (mg/kg)	Limit ( mg/kg)	Result (mg/kg)	
				1+2+3	4+5+6
Di (2-ethylhexyl)phthalate (DEHP)	117-81-7	50	1000	N.D.	N.D.
Dibutylphthalate (DBP)	84-74-2	50	1000	N.D.	N.D.
Butylbenzylphthalate (BBP)	85-68-7	50	1000	N.D.	N.D.
Diisononyl phthalate (DINP)	28553-12-0	100	1000	N.D.	N.D.
	68515-48-0				
Diisobutylphthalate (DIBP)	84-69-5	50	1000	N.D.	N.D.
Di-n-pentyl phthalate (DPENP)	131-18-0	50	1000	N.D.	N.D.
Dihexyl phthalate (DHEXP)	84-75-3	50	1000	N.D.	N.D.
dicyclohexyl phthalate (DCHP)	84-61-7	50	1000	N.D.	N.D.
<b>Conclusion</b>				PASS	PASS

**Note:**

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (< RL).
3. RL = Report Limit.
4. 1000mg/kg = 0.1%

**Client's Requirement according to the Consent Decrees of California Proposition 65**
**Total Lead (Pb)****Method:**

Metal – CPSC-CH-E1001-08.3, Nonmetal – CPSC-CH-E1002-08.3, was analyzed by Inductively

Coupled Plasma Optical Emission Spectroscopy (ICP-OES).



**Note:**

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (< RL).
3. RL = Reporting Limit.

**As specified in the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.(For Packaging)**

Tracking label on the packaging

Requirement	Result
Name of the manufacture or the name of the private labeler	PASS
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state	PASS
Date of the production of the product: Month /Year, or any other coding system	PASS
The cohort information(including the batch, run number, or other identifying characteristics)	PASS
Permanent remark	PASS

**Note:**

The tracking label assessment was based on the submitted samples and the information provided or not provided by the applicant. There is no verification on the validity of such information.

**Test Material List**

The following materials apply only to the samples submitted for testing

Material No.	Description	Location
1	Rose red silicone	String/star
2	Pink silicone	String/star
3	Yellow silicone	String/star
4	Blue silicone	String/star
5	Green silicone	String/star
6	Gray silicone	String/star

**Photo(s) of Sample:**





