



Ruijin JC-K Switch Game Controller User Manual

[Home](#) » [Ruijin](#) » Ruijin JC-K Switch Game Controller User Manual 

Contents

- [1 Ruijin JC-K -Switch -Game -Controller](#)
- [2 Product overview](#)
- [3 Products Features](#)
- [4 How to pair game Controllers](#)
- [5 Specification](#)
- [6 FCC Statement](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)

RuiJin

Ruijin JC-K -Switch -Game -Controller



- make sure you read this guide before using the controllers
- reading the guide will help you learn to use the controller properly

Product overview



Products Features

- This product for switch console
- Include the vibration and gyro-sensor functions
- Supports pressing the home button to wake up from sleep mode


How to pair game Controllers

Complete these steps

The controls can be paired to the Nintendo Switch console in the following ways:

- **Joint pairing**

Simply attach the game controllers to the console.





- **Button pairing**

From the HOME Menu, select Controllers, then Change Grip and Order. While the following screen is displayed, press and hold down the SYNC Button for at least one second on the controller you wish to pair. Once paired, the player LED(s) corresponding to the controller number will remain lit.



- **Confirm how the game pad will be held**

<p>As a dual-controller grip</p>  <p>The controllers used as dual-controller grip</p>	<p>L Button (on left game pad) + R Button (on right controller)</p> <p>ZL Button (on left game pad) + ZR Button (on right controller)</p>
 <p>The controller used as a solo horizontal grip</p>	<p>SL Button+SR Button on each game pad you wish to use horizontally</p>

Specification

Mass	Approx 120g
Battery	400mah
Charging current	<500mA
Charging time	About 1 hours
Charging method	DC 5V
Battery using time	About 20 hours
Motion sensor	Six axis gyroscope sensor

FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.


NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy

and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

Documents / Resources

	<p>Ruijin JC-K Switch Game Controller [pdf] User Manual JC-K, JCK, 2A5US-JC-K, 2A5USJCK, JC-K Switch Game Controller, Switch Game Controller</p>
--	--