




Sabrent DA-HDU3 USB 3.0 TO HDMI Display Adapter User Manual

[Home](#) » [Sabrent](#) » Sabrent DA-HDU3 USB 3.0 TO HDMI Display Adapter User Manual 



DA HDU3 USB 30 TO HDMI Display Adapter User Manual



Warning:

Different display converters use various chipsets and may not be compatible with one another

Contents

- [1 Package Contents](#)
- [2 System Requirements](#)
- [3 Installation Guide](#)
- [4 Operation Instructions](#)
- [5 FAQs](#)
- [6 Technical specifications](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)

Package Contents

- USB to HDMI adapter
- Software/Driver CD
- Installation Guide


System Requirements

- Network access for software downloads, or access to a CD-ROM Drive
- At least one Display (CRT/PLASMA/LCD/HDTV) screen for use with the device
- At least one available USB 3.0/2.0 Port
- Compatible operating system

Note: Software installation is required prior to connecting the graphic adapter

Installation Guide


- Insert the disc into CD-ROM
- Agree to the terms
- Select Language
- After installation is complete, restart your computer
- Install the device as shown in the following diagram Insert one end of the HDMI cable to HDMI INPUT on the TV/Display
- Insert the other end of the HDMI cable to the USB Adapter's HDMI output Connect the USB cable to an available USB port
- Connect the Audio cable to the computer's Audio Jack



Operation Instructions

Windows 7 or Windows Vista

Click the software icon on the lower right corner of the desktop



Note: Windows 7 has a projection menu feature that enables you to quickly connect your laptop to a projector or an extended monitor

Win4Pi is the keyboard shortcut for that purpose.

Windows XP

Click the software icon on the lower right corner of the desktop

Advanced settings

Extend to-> Set as Extended

Set as Mirror

Set Display of



FAQS

No image output or abnormal display

- Re-plug US8 or change to another USB port
- Unplug US8 and restart the computer
- Adjust converter output resolution to it is compatible with TV/Display

- You may need to reinstall the Software Driver

The device works properly but refuses to work after the PMI cable is connected

- Do not remove the HDMI cable when the device is active. You may need to remove the US8 cable and plug it in a second time to the US8 port Some videos cannot play properly on my media player software

Some media players may not compatible with drivers.

Try using different media player software, or update the media player and the driver

Abnormal display effects after adjusting the resolution of the device

Close down all programs while you adjust the resolution

Technical specifications

Power supply: 500mA Powered by US8

Resolution: 1920x1080

Input: USB 3.0/2.0

Output: HDMI/DV

Operating systems: Windows XP/Vista/7; Mac OS X

Audio input: 3.5mm Stereo Audio

Standard: USB connector Type A

Dimensions: 16.5/52/80 mm

Minimum: CPU use rate 10%

Documents / Resources



[Sabrent DA-HDU3 USB 3.0 TO HDMI Display Adapter](#) [pdf] User Manual
DA-HDU3, Display Adapter, Adapter, HDMI Display Adapter