



SALUS SW600 Window and Door Sensor User Guide

[Home](#) » [SALUS](#) » SALUS SW600 Window and Door Sensor User Guide 

Contents

- [1 SALUS SW600 Window and Door Sensor](#)
- [2 Introduction](#)
- [3 Product Compliance](#)
- [4 Positioning](#)
- [5 Power up & Pairing](#)
- [6 Opened/Closed](#)
- [7 Factory reset](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)



SALUS SW600 Window and Door Sensor

**PRODUCER:**

Salus Limited
6/F, Building 20E, Phase 3, Hong Kong Science
Park, 20 Science Park East Avenue, Shatin,
New Territories, Hong Kong

www.salus-controls.eu www.sysclima.com

SALUS Controls es miembro del Grupo Computime.

Introduction

A window/door sensor is a small, wireless piece of equipment that detects when a window/door is open or closed. The Slim Window/Door Sensor is used primarily on windows and doors where the installation location is narrow. This product must be used with the Universal Gateway (UG600/UGE600) and the Salus Smart Home App .


Product Compliance

This product complies with the essential requirements and other relevant provisions of Directives 2014/53/EU (RED) and 2011/65/EU. The full text of the EU Declaration of Conformity is available at the following internet address: www.saluslegal.com

Safety Information

Use in accordance with the regulations. Indoor use only. Keep your equipment completely dry. Disconnect your equipment before cleaning it with a dry towel.

Positioning



Power up & Pairing

1



2













3



4




Follow the onscreen instructions up to


- 5 
- 6 
- 7 
- 8 
- 9  Follow the onscreen instructions up to [Finish](#)
-  Befolgen Sie die Bildschirmanweisungen [Finish](#)
-  Siga las instrucciones en pantalla hasta [Finish](#)
-  Siga as instruções no ecrã até [Finish](#)
- 10 
- 11 

Install the slim window/door sensor using the screws or the double-sided tape.

Opened/Closed



Factory reset



Keep the reset button pressed for 4 seconds when inserting back the battery. The device will reset and enter pairing mode.

Documents / Resources

	SALUS SW600 Window and Door Sensor [pdf] User Guide SW600, Window and Door Sensor
	SALUS SW600 Window and Door Sensor [pdf] User Guide SW600 Window and Door Sensor, SW600, Window and Door Sensor
	SALUS SW600 Window and Door Sensor [pdf] User Guide SW600, Window and Door Sensor

References

- [Choose your country – Salus](#)
- [SALUS Controls - intelligent temperature control](#)

-  [Salus – Smart Technology for your comfort](#)

Manuals+.