SATECHI SATECHI M4 Mac Mini Stand and Hub with NVMe Enclosure





SATECHI M4 Mac Mini Stand and Hub with NVMe Enclosure **User Guide**

Home » SATECHI » SATECHI M4 Mac Mini Stand and Hub with NVMe Enclosure User Guide 🖺



Contents

- 1 SATECHI M4 Mac Mini Stand and Hub with NVMe
- **Enclosure**
- **2 Product Information**
- **3 Installation Instructions**
- **4 PORTS AND CONNECTORS**
- 6 Documents / Resources
 - **6.1 References**
- **7 Related Posts**



SATECHI M4 Mac Mini Stand and Hub with NVMe Enclosure



Product Information

Specifications

- Product Name: Mac Mini M4 Stand & Hub with NVMe Enclosure
- Supported Devices: Mac Mini (M4, 2024)
- · Ports and Connectors:
 - SD 4.0 Card Reader (up to 312 MB/s)
 - Two USB-A 10Gbps (up to 1250 MB/s)
 - USB 2.0 Port (up to 60 MB/s)

Connecting to Mac Mini

- 1. Place the stand on a flat surface.
- 2. Use the USB-C cable to connect the stand to your M4 Mac Mini.
- 3. Ensure compatibility with Mac Mini (M4, 2024) only.
- 4. Access the power button through the cutout on the stand.


Ports and Connectors Usage

- SD 4.0 Card Reader: Insert SD cards with the label facing up and pins facing down for high-speed data transfer.
- Two USB-A 10Gbps Ports: Connect external drives for fast data transfer (no charging or CD drive support).
- USB 2.0 Port: Ideal for low-power peripherals like USB dongles or wired keyboards (no charging or CD drive support).


Installation Instructions

- Remove the SSD enclosure cover on the bottom of the stand.
- Before installing NVMe SSD, first apply the included thermal tape.
 The side with the blue film should be in contact with the SSD. The clear film adheres to the enclosure.






- Insert the SSD at a slight angle (35-45°) and ensure it is fully seated in the PCIe slot.
 Important: This stand is not compatible with SSDs that have pre-installed heat sinks or are double-sided.
- Secure the SSD using the included screwdriver and screw. Tip: To prevent stripping the screw, do not overtighten.






- Carefully reattach the enclosure cover: insert the side clips first, then slide the door into place.
- Flip the stand back over.





- Place the stand on a flat surface and use the USB-C cable to connect to your M4 Mac Mini.
 Supports Mac Mini (M4, 2024). Does not support M2, M1, or 2018 Mac Mini or Mac Studio models.
- Easily access the power button through the cutout.






PORTS AND CONNECTORS


SD 4.0 Card Reader (up to 312 MB/s)

- High-speed data transfer for SD cards.
- Insert the card with the label facing up and the pins facing down.



Two USB-A 10Gbps (up to 1250 MB/s)

Two high-speed data transfer ports for external drives. These ports do not support charging or CD drives, including the Apple SuperDrive.



USB 2.0 Port (up to 60 MB/s)

Ideal for low-power devices and peripherals (e.g., USB dongles, wired keyboards). This port does not support charging or CD drives, including the Apple SuperDrive.



FAQ

Q: Does the Mac Mini M4 Stand & Hub support M1 or older Mac Mini models?

A: No, the stand supports Mac Mini (M4, 2024) only and is not compatible with M2, M1, or 2018 Mac Mini models.

Documents / Resources



SATECHI M4 Mac Mini Stand and Hub with NVMe Enclosure [pdf] User Guide

M4, M4 Mac Mini Stand and Hub with NVMe Enclosure, Mac Mini Stand and Hub with NVMe Enclosure, Mini Stand and Hub with NVMe Enclosure, Hub with NVMe Enclosure, NVMe Enclosure ure

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.