

Satel®
INT-KSG2R-B
Sensoric
Keypad For
Alarm Control
Panel



satel INT-KSG2R-B Sensoric Keypad For Alarm Control Panel User Manual

[Home](#) » [Satel](#) » **satel INT-KSG2R-B Sensoric Keypad For Alarm Control Panel User Manual** 

Contents

- [1 satel INT-KSG2R-B Sensoric Keypad For Alarm Control Panel](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Frequently Asked Questions](#)
- [5 Control Units](#)
- [6 SPECIFICATION](#)
- [7 FEATURE](#)
- [8 PACKAGE](#)
- [9 Documents / Resources](#)
 - [9.1 References](#)

Satel®

satel INT-KSG2R-B Sensoric Keypad For Alarm Control Panel



Product Information

Specifications:

- **Model:** INT-KSG2R-B
- **Power Supply:** 12 V DC
- **Current Consumption:** 155 mA
- **Color:** Black
- **Weight:** 0.22 kg
- **Dimensions:** 132 x 129 x 16 mm
- **Manufacturer / Brand:** SATEL
- **Guarantee:** 2 years

Product Usage Instructions

Installation:

Follow the mounting instructions provided in the user manual to securely install the sensoric keypad.

Power Connection:

Connect the keypad to a 12V DC power supply ensuring proper polarity.

Functionality:

Utilize the MAKRO functions for executing sequences of actions with a single command. The LCD display provides text messages for easy operation of the alarm control unit.

Maintenance:

Avoid contact with caustic, staining, and viscous fluids to ensure the longevity of the device and its proper functioning.

Frequently Asked Questions

Q: What alarm control units are compatible with the INT-KSG2R-B keypad?

A: The INT-KSG2R-B keypad is compatible with INTEGRA, INTEGRA Plus, and PERFECTA 64 M control units.

Q: What is the warranty period for the INT-KSG2R-B keypad?

A: The keypad comes with a 2-year guarantee from the manufacturer, SATEL.

Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order.

If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it – indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
2. Improper results of operation of the product or products related with it;
3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The device was designed in such a way that it restarts operation when power supply is restored after a break.

Attention! We recommend using protections to further protect the device from possible overvoltages in installations.

Surge protectors are effective protection against accidental pass to the device voltages higher than the rated.

Damages caused by pass the voltages higher than specified in manual, are not under warranty.

Turn off the device before transporting it.

Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.

Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources.

To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally friendly way.

The INT-KSG2R-B sensoric keypad does not only stand for attractive design, but also for simplification for the daily operation of advanced alarm systems and home automation using the functionalities of the INTEGRA, INTEGRA Plus, PERFECTA 64 M control units.

With the MAKRO functions, a whole sequence of actions can be performed through a single command. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.

Control Units



SPECIFICATION

Support:	INTEGRA, INTEGRA Plus, PERFECTA 64 M
Main features:	<ul style="list-style-type: none"> • Large, easily readable LCD with backlight displaying detailed information on system state • 2 Inputs – INTEGRA, INTEGRA Plus only <ul style="list-style-type: none"> – Vibration detectors and rollerblinds detectors support – EOL, 2EOL, 3EOL configurations support – EOL resistors – programmable EOL resistance value • LEDs indicating device operation state • customizable standby screen with possibility of individual set of displayed information • 4 extra menus (up to 16 items each) and quick access functions defined by the installer • MAKRO features that activates sequence of actions with a single key • Alarms: keypad hold-down PANIC, FIRE and AUX • easy operation of the multi-zone systems • Touch and backlit keyboard buttons • Swipe gesture support (menu navigation) • Buzzer for acoustic signaling of some system events • 13.56 MHz S50 proximity reader built-in (supported by the INTEGRA series control panels) – for future applications • Firmware upgrade via RS-485 port • Tamper protection (detection of removing from mounting surface and enclosure opening)
Power supply:	12 V DC
Current consumption:	155 mA
Color:	Black

Weight:	0.22 kg
Dimensions:	132 x 129 x 16 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

FEATURE




Mounting side view




Connectors



Internal view




In the kit



PACKAGE

- Dimensions (L x W x H): 0x0x0 mm
- Gross Weight: 0 kg

Documents / Resources

	<p>satel INT-KSG2R-B Sensoric Keypad For Alarm Control Panel [pdf] User Manual</p> <p>INT-KSG2R-B Sensoric Keypad For Alarm Control Panel, INT-KSG2R-B, Sensoric Keypad For Alarm Control Panel, Keypad For Alarm Control Panel, Alarm Control Panel, Control Panel, Panel</p>
---	--

References

- [User Manual](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.