Manuals+ — User Manuals Simplified.

Satel®
INT-
KSG2R-W
Sensoric
Keypad

Satel INT-KSG2R-W Sensoric Keypad User Manual

Contents

Satel®

Satel INT-KSG2R-W Sensoric Keypad

Product Information

Specifications:

- Code: INT-KSG2R-W
- Product: SENSORIC KEYPAD FOR ALARM CONTROL PANEL INT-KSG2R-W SATEL
- Power supply: 12 V DC
- Current consumption: 155 mA
- Color: White
- Weight: 0.22 kg
- Dimensions: 132 x 129 x 16 mm
- Manufacturer / Brand: SATEL
- Guarantee: 2 years

Product Usage Instructions

Installation:

Follow the installation guide provided in the user manual to securely mount the sensoric keypad for alarm control panel.

Power Connection:

Connect the power supply of 12 V DC to the keypad ensuring proper current consumption of 155 mA.

Functionality:

The sensory keypad simplifies the operation of advanced alarm systems and home automation using functions of compatible units like INTEGRA, INTEGRA Plus, PERFECTA 64 M.

LCD Display:

Utilize the LCD display to view text messages and access advanced functionalities of the alarm control unit conveniently.

Frequently Asked Questions

- **Q: What is the warranty period for the product?**
  - A: The product comes with a 2-year guarantee from the manufacturer, SATEL.
- **Q: Can the sensoric keypad be used with other alarm control units?**
  - A: The keypad is designed to work with INTEGRA, INTEGRA Plus, and PERFECTA 64 M control units for optimal functionality.

Warning

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device. Only persons who read the user manual may use the device. The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual. The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired. The product is intended for use at home and commercial use and may not be used for other than intended use. The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device. The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it – indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
2. Improper results of operation of the product or products related with it;
3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor. The device must be secured against contact with caustic, staining and viscous fluids. The device was designed in such a way that it restarts operation when power supply is restored after a break. Attention! We recommend using protections to further protect the device from possible overvoltages in installations. Surge protectors are effective protection against accidental pass to the device voltages higher than the rated. Damages caused by pass the voltages higher than specified in manual, are not under warranty. Turn off the device before transporting it. Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.

Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources. To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally-friendly way

Product Information

The INT-KSG2R-W sensoric keypad does not only stand for attractive design, but also for simplification for the daily operation of advanced alarm systems and home automation using the functionalities of the INTEGRA, INTEGRA Plus, PERFECTA 64 M control units. With the MAKRO functions, a whole sequence of actions can be performed through a single command. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.

Support: INTEGRA, INTEGRA Plus, PERFECTA 64 M

Main features

- Large, easily readable LCD with backlight displaying detailed information on system state
- 2 Inputs – INTEGRA, INTEGRA Plus only
    - Vibration detectors and rollerblinds detectors support
    - EOL, 2EOL, 3EOL configurations support
    - EOL resistors – programmable EOL resistance value
- LEDs indicating device operation state
- customizable standby screen with the possibility of individual set of displayed information
- 4 extra menus (up to 16 items each) and quick access functions defined by the installer
- MAKRO features activate sequence of actions with a single key
- Alarms: keypad hold-down PANIC, FIRE and AUX
- easy operation of the multi-zone systems
- Touch and backlit keyboard buttons
- Swipe gesture support (menu navigation)
- Bbuzzer for acoustic signaling of some system events
- 13.56 MHz S50 proximity reader built-in (supported by the INTEGRA series control panels) – for future applications
- Firmware upgrade via RS-485 port
- Tamper protection (detection of removing from mthe ounting surface and enclosure opening)

Specification

- Power supply: 12 V DC
- Current consumption: 155 mA
- Color: White
- Weight: 0.22 kg
- Dimensions: 132 x 129 x 16 mm
- Manufacturer / Brand: SATEL
- Guarantee: 2 years

Front panel

Mounting side view

Connectors

Internal view

In the kit

PACKAGE

- Dimensions (L x W x H): 0x0x0 mm
- Gross Weight: 0 kg

Documents / Resources

Satel INT-KSG2R-W Sensoric Keypad [pdf] User Manual
INT-KSG2R-W Sensoric Keypad, INT-KSG2R-W, Sensoric Keypad, Keypad

References

- **User Manual**