



SCANGRIP 03.5658 MultiMatch R Re-Chargeable Work User Manual

[Home](#) » [SCANGRIP](#) » SCANGRIP 03.5658 MultiMatch R Re-Chargeable Work User Manual 

Contents

- [1 SCANGRIP 03.5658 MultiMatch R Re-Chargeable Work](#)
- [2 Instructions](#)
- [3 CHARGING / BATTERY](#)
 - [3.1 POWERBANK](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)

SCANGRIP

SCANGRIP 03.5658 MultiMatch R Re-Chargeable Work




Instructions

WARNING

- Always respect applicable legislation for working with electrical equipment to reduce the risk of accidents.
- Avoid looking directly into the beam of light, as this will result in dazzling.
- Do not use the lamp near a naked flame.
- The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced.
- Opening the lamp is not advisable, as doing so could contribute to the lamp no longer being watertight.

USE



- Press the A button to turn the lamp on/off.
- Press and hold the A button to switch between brightness control and CCT Kelvin colour temperature manually.
- Press the B button to increase brightness/CCT Kelvin.
- Press the C button to decrease brightness/CCT Kelvin.
- Press the D button to activate CCT SCAN mode, once activated press the CCT SCAN button to choose the current CCT SCAN value you want. The colour temperature will increase continuously from 2500K to 6500K and back in a loop.
- Press the D button to pause CCT SCAN mode.
- Press and hold the D button at any time to exit CCT SCAN mode.

CHARGING / BATTERY

- Use a USB charger rated for 5V, 2A.
- Always replace the battery with a new one of the same type and grade.
- Don't leave the battery flat. Otherwise, it could be over-discharged and may NOT be able to be reused.
- Luminaire is only suitable for direct mounting on non-combustible surfaces.
- Charging Indoor Only.

POWERBANK


- Built-in power bank with USB outlet to charge mobile devices.
- Output: 5V, 1A.
- Capacity: 5400mAh.

WARNING – Risk of fire – Minimum distance from lighted objects 0.1m.

Discarded electrical products must not be disposed of together with household waste. Please use recycling facilities. Ask your local authority or retailer for advice on recycling.

- The battery must be removed from the device before it is broken up.
- The device must be disconnected from the mains when the battery is removed.
- Please dispose of the battery safely

Documents / Resources

	<p>SCANGRIP 03.5658 MultiMatch R Re-Chargeable Work [pdf] User Manual</p> <p>03.5658 MultiMatch R Re-Chargeable Work, 03.5658, MultiMatch R Re-Chargeable Work, Re-Chargeable Work, Work</p>
---	--

References

- [Europe's leading manufacturer of LED work lights](#)
- [Europe's leading manufacturer of LED work lights](#)