Home » SCANIT PARTS » SCANIT PARTS 6059 Printing Errors User Guide 🖺

SCANIT PARTS 6059 Printing Errors User Guide

Contents

- 1 SCANIT PARTS 6059 Printing
- **Errors**
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 Verify labels are loaded correctly
- 5 Documents / Resources
 - **5.1 References**
- **6 Related Posts**

SCANIT

SCANIT PARTS 6059 Printing Errors



Product Information

This product is a scanner with a built-in printer. It is designed to print labels for various purposes. The scanner has several settings and features that can be adjusted to optimize printing performance. If you encounter printing errors, the following steps can help you troubleshoot and resolve the issue.

Product Usage Instructions

- 1. Verify that labels are loaded correctly. Refer to the label loading guide for instructions on how to load labels properly.
- 2. Select "Settings" on the scanner.
- 3. Select "Printer Settings".




- 4. If available, select "Recalibrate Printer".
- 5. Select "Clear Printer Errors" and then select "Ok".
- 6. Ensure that both "Disable Printer" and "OnDemand Printing" options are turned off.
- 7. If the scanner is still experiencing printing problems, proceed to the next steps.
- 8. Select "Printer Setup".
- 9. Select "Supply".
- 10. Select the left arrow at the bottom to return to scanning.
- 11. Select "Calibrate Blackmark Sensor".

By following these steps, you can resolve common printing errors and ensure optimal performance of the scanner's printer function.


Verify labels are loaded correctly

**See label loading guide at: https://scanitparts.com/all-manuals/


Step 1. Select Settings.



Step 2. Select Printer Settings.




Step 3. Ensure Disable Printer and On- Demand Printing are both turned off.





Step 4. Select Recalibrate Printer.

**If available




Step 5. Select Clear Printer Errors. Select Ok.






^{**}If the scanner is still having printing problems, proceed to next steps.


Step 6. Select Printer Setup.



Step 7. Select Supply.




Step 8. Select Calibrate Blackmark Sensor.



Step 9. Select the left arrow at the bottom to return to scanning.



Documents / Resources



References

• sir All Manuals - Scanlt Parts

Manuals+,