



# Schneider Electric HMIG2U Harmony GTU Box Module Instructions

[Home](#) » [Schneider Electric](#) » Schneider Electric HMIG2U Harmony GTU Box Module Instructions 



ENVEOLI1403023\_V2 – End of Life  
Instructions – Harmony GTU Box Module  
Harmony GTU Box Module  
Harmony GTU  
Product End of Life  
Instructions



## Contents

- [1 Potential disassembly risks](#)
- [2 End of Life Instructions](#)
- [3 Product description](#)
- [4 Additional information](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)

## Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.


### WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Batteries	2.5	
To be depolluted	2	Electronic Board (Communication) > 10cm <sup>2</sup>	278.2	PCBA
Other			639.3	

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	High connectivity with a wide range of industrial controllers
Product reference	HMIG5U
Additional similar product references	HMIG5U2 HMIG5U21 HMIG5U22 HMIG3U HMIG3UFC HMIG2U
Total representative product mass	920 g
Representative product dimensions	131mm x 188mm x 35mm
Accessories	No
Date of information release	2024/2/1

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	57%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).



Schneider Electric Industries SAS  
Country Customer Care Center

<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €


[www.se.com](http://www.se.com)

ENVEOLI1403023\_V2

Published by Schneider Electric

© 2023 – Schneider Electric

All rights reserved

	<p><b><a href="#">Schneider Electric HMIG2U Harmony GTU Box Module</a></b> [pdf] Instructions HMIG5U, HMIG5U2, HMIG5U21, HMIG5U22, HMIG3U, HMIG3UFC, HMIG2U, HMIG2U Harm ony GTU Box Module, HMIG2U, Harmony GTU Box Module, GTU Box Module, Box Module</p>
--	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.