



Sciener DS2 Smart Door Sensor User Manual

[Home](#) » [Sciener](#) » Sciener DS2 Smart Door Sensor User Manual 

Sciener

DOOR SENSOR

DS2

User Manual


Contents

- [1 DOOR SENSOR D52](#)
- [2 Lights](#)
- [3 Add door sensor via APP](#)
- [4 Installation](#)
- [5 Replace battery](#)
- [6 Limited Warranty](#)
- [7 FCC WARNING](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)

DOOR SENSOR D52

Model	DS2
Dimensions	41mm x27 mmx 11.5 mm 41mm x 10 mm x11.5 mm
Material	ABS
Frequency	2.4GHz
Power	CR2032
Voltage	3V
Longevity	2 years (10 times a day)
Stand-by current	<5uA
Induction distance	<22mm

Lights




Status	Lighting
Pairing	Fast flickering
Sensor close/open	Flicker once
Close/open on low power	Flicker 3 times
Reset to the default setting	Lightup for 1 second


Add door sensor via APP



1. Activate APP, select the lock on which you want to add a door sensor




2. Tap "Settings", "Door sensor" Tap "Add door sensor", then press there; et bug on 0)



3. on the door sensor for 2 seconds. Tap “next” a fier the light starts flickering

1. Tap the device with a “+” and finish the adding process.




Please repeat the above procedures 2-3 times if the door sensor can t be added, or reset the door sensor and try again.




Press the reset button on the door sensor for 10 seconds. After the light is on for 1 second, the device is reset to default settings.

Installation


1. decide the opening direction of the door



2. Tear the cover of the glue on 'c the door sensor




3. Clean the surface on which the sensor is to be installed, align the sensors and glue them lightly on the door.




Replace battery


1. Remove the shell.



2. Pull out the used battery and replace it with a new one.



3. Reinstall the shell.



Limited Warranty

1. For any defect in material and workmanship, the original purchaser of the product can:
 - 1) Return or ask for a replacement within 7 invoice days.
 - 2) Ask for a replacement within 15 invoice days.
 - 3) Ask for free repair in 365 invoice days.
2. This warranty does not cover defects caused by modification, alteration, misuse, or physical abuse of the product.

Disclaimer We continuously optimize products as new technologies and features are developed. For this reason, we reserve the right to make alterations to the product without prior notice,

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.


Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirements. This equipment complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna(s) must not be co-located or in conjunction with any other antenna or transmitter.

Documents / Resources

	Sciener DS2 Smart Door Sensor [pdf] User Manual DS2, 2ATF2-DS2, 2ATF2DS2, DS2 Smart Door Sensor, Smart Door Sensor, Door Sensor
---	--