



Scolmore CT300 Clickflow Blue 3 In 1 Out Connector Hub Instructions

[Home](#) » [Scolmore](#) » Scolmore CT300 Clickflow Blue 3 In 1 Out Connector Hub Instructions 

Contents

- [1 Scolmore CT300 Clickflow Blue 3 In 1 Out Connector Hub](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Technical, Safety & Installation Information](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)



Scolmore CT300 Clickflow Blue 3 In 1 Out Connector Hub



Product Information

- **Product Reference:** CT300
- **Voltage:** 250V~
- **Current Rating:** 20A
- **Connector Type:** 4 Pin (1 in 3 Out)

The CT300 is a product designed for use in fixed wiring installations. It is a 4 pin connector with 1 input and 3 output pins. Please read the following information carefully before commencing installation.

Before starting any electrical work, ensure that the mains isolator on the consumer unit or fuse board is in the 'OFF' position to prevent the risk of electric shock. It is recommended to have this product installed by a qualified electrician who will wire it in accordance with the IEE Wiring Regulations. Please note that this product is suitable for installation only in NON-READILY accessible areas.

Installation couplers are intended for connection and disconnection without load only. Do not attempt to connect or disconnect the couplers while there is electrical current flowing through them.

Supply Connections:

- LIVE
- EARTH
- NEUTRAL
- AUX

It is important to note that this system is not a replacement for a domestic plug and socket outlet system. The cover of the product should not be removed. For cleaning or polishing, use only a soft, dry, clean cloth. If you have

any doubts or questions, it is recommended to consult a qualified electrician. V.3

Contact Information:

- Scolmore Group Ltd., Stafford Park 1, Telford, Shropshire, TF3 3BD
- **Telephone:** 01827 63454
- **E-mail:** technical@scolmore.com
- **Facsimile:** 01827 63362
- **Website:** www.scolmore.com

Product Usage Instructions

1. Ensure that the mains isolator on the consumer unit or fuse board is in the 'OFF' position before starting any electrical work.
2. Have the CT300 product installed by a qualified electrician who will wire it in accordance with the IEE Wiring Regulations.
3. This product is designed for use in fixed wiring installations only.
4. Do not attempt to connect or disconnect the installation couplers while there is electrical current flowing through them.
5. Connect the supply wires to the appropriate pins: LIVE, EARTH, NEUTRAL, and AUX.
6. Do not remove the cover of the product. Use a soft, dry, clean cloth for cleaning or polishing.
7. If you have any doubts or questions, consult a qualified electrician.

Technical, Safety & Installation Information

Product Ref: CT300 250V~ 20A 4 Pin (1 in 3 Out) Connector

Please read the following information carefully before commencing installation.


Before commencing any electrical work, ensure the mains isolator on the consumer unit / fuse board is in the 'OFF' position, to prevent the possibility of electric shock.

This product should be installed by a qualified electrician, and wired in accordance with the IEE Wiring Regulations.

This product is designed for use in fixed wiring installations only.

This product is only suitable for installation in NON-READILY accessible areas.

Installation couplers are intended for connection and disconnection without load only.



- Durable Thermoplastic.
- Tested and compliant with BS5733, BS8488 and IEC61535.
- Tested and compliant with BS7671:2008, Table 4A2 reference method E.
- One input to three outputs.
- Will accept 3 pin or 4 pin FLOW connectors.
- Easy lock and release mechanism.
- Can be used in conjunction all other Click Flow hub junction boxes.

WARNING

Any dangerous compatibility between different manufacturer installation coupler systems is not automatically prevented by compliance with IEC 61535.

This system is NOT a replacement for a domestic plug and socket outlet-system. Do not remove cover.

For cleaning / polishing of products, use only a soft, dry, clean cloth.

IF IN DOUBT CONSULT A QUALIFIED ELECTRICIAN.

Retain these instructions for future reference.

Scolmore House, Mariner, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7UL


Telephone: 01827 63454

E-mail: technical@scolmore.com

Facsimile: 01827 63362

Website: www.scolmore.com

Documents / Resources

	<p>Scolmore CT300 Clickflow Blue 3 In 1 Out Connector Hub [pdf] Instructions</p> <p>CT300 Clickflow Blue 3 In 1 Out Connector Hub, CT300, Clickflow Blue 3 In 1 Out Connector H ub, 3 In 1 Out Connector Hub, Connector Hub</p>
---	--

References

-  [Click - Scolmore Group | Wiring Devices & Accessories](#)