



SCT RC-SDA Gen3 Poly Video Conferencing Camera System User Guide

[Home](#) » [SCT](#) » SCT RC-SDA Gen3 Poly Video Conferencing Camera System User Guide 


SCT RC-SDA Gen3 Poly Video Conferencing Camera System User Guide



Contents

- [1 CONNECTION INSTRUCTION](#)
- [2 Documents / Resources](#)
 - [2.1 References](#)
- [3 Related Posts](#)

CONNECTION INSTRUCTION




Power, Control, Audio & Video

The SCTLink™ cable must always be a single, point-to-point CAT cable with no couplers or inter connections.


SCTLink™ Cable Specs

Integrator-Supplied CAT5e/CAT6 STP/UTP Cable T568A or T568B (10m-100m min/max Length)



SCTLink™ Cable Specs

Integrator-Supplied CAT5e/CAT6 STP/UTP Cable T568A or T568B (10m-100m min/max Length)



Module Dimensions

RC4-CE™: H: 0.93" (23mm) x W: 2.5" (63mm) x D: 3.741" (95mm)

RC4-HE/RC-SDA: H: 1.504" (38mm) x W: 3.813" (96mm) x D: 3.617" (91mm)



Documents / Resources

	SCT RC-SDA Gen3 Poly Video Conferencing Camera System [pdf] User Guide RC-SDA Gen3, RC-SDA Gen3 Poly Video Conferencing Camera System, Poly Video Conferencing Camera System, Video Conferencing Camera System, Conferencing Camera System, Camera System, System
--	--

References

- [User Manual](#)

[Manuals+](#). [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.