




SCT RCU2S-B10 USB Supports Multiple Camera User Guide

[Home](#) » [SCT](#) » SCT RCU2S-B10 USB Supports Multiple Camera User Guide 




- Angekis Saber Plus
- AVer DL30
- DL50
- MD330u/MD330UI
- AVer TR311HWV2
- AVer TR313V2
- AVer TR323NV2
- AVer TR333NV2
- AVer TR530+
- AVer VB342 Pro
- AVer PTC500+
- ClearOne Unite 150 & 200
- Lumens VC-B30U
- Marshall CV610-U3
- Minnray UV950A

- MaxHub UC P20
- PTZOptics 12XUSB & 20XUSB
- Huddlecam HC10X, HC20X & HC30X
- Sony SRG-120U & SRG-XP1
- Vaddio ConferenceShot FX
- Vaddio ConferenceShot 10
- VDO360 Saber20X & VDO360 CompassX
- VHD V20C, VX110, VX710N, VX710L & VX120
- Yamaha CS-700AV

Contents


- [1 Connections](#)
- [2 Module Dimensions](#)
- [3 Documents / Resources](#)
- [4 Related Posts](#)

Connections



SCTLink™ Cable Specs

Integrator-Supplied CAT5e/CAT6 STP/UTP Cable
T568A or T568B (100m Max Length)




Module Dimensions

RCU2S-CE™: H: 0.789" (20mm) x W: 2.264" (57mm) x D: 3.725" (94mm)
RCU2S-HE™: H: 1.448" (36mm) x W: 3.814" (96mm) x D: 3.578" (90mm)



Documents / Resources



[SCT RCU2S-B10 USB Supports Multiple Camera](#) [pdf] User Guide

RCU2S-B10 USB Supports Multiple Camera, RCU2S-B10, USB Supports Multiple Camera, Supports Multiple Camera, Multiple Camera, Camera