




SCT RCU2S-B2A8 Supports Multiple Camera User Guide

[Home](#) » [SCT](#) » SCT RCU2S-B2A8 Supports Multiple Camera User Guide 

SCT RCU2S-B2A8 Supports Multiple Camera



Contents


- [1 CONNECTIVITY](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

CONNECTIVITY

The RCU2,S-B2A8™ supports multiple camera models:

- AVer Cam 520 Pro & Pro 2
- AVer Cairn 520 Pro Advanced
- AVer Cam SSQ,
- AVer VB342 Pro
- AVer VC 520 Pro & Pro 2
- 1Beyond Auto Finder & AutoF'ramer*
- Huddlecam HC12X-HUDDLEVIEW*
- Huddlecam SIMPLTRACK LITE*
- Huddlecam HC20X-SIMPLTRACK2* (shown)

* AVer COMPRO232 Not Required




Module Dimensions

RCU2S-CE™:H:0.789"(20mm)xW:2.264"(57mm)xD:3.725"(94mm)

RCU2S-HE™:H:1.448”(36mm)xW:3.814”(96mm)xD:3.578”(90mm)



Documents / Resources

	SCT RCU2S-B2A8 Supports Multiple Camera [pdf] User Guide RCU2S-HETM, RCC-M004-1.0M, RCC-M004-0.3M, RCU2S-B2A8, RCU2S-B2A8 Supports Multiple Camera, Supports Multiple Camera, Multiple Camera, Camera
---	---

Manuals+.