



SCT RCU2S-BA8 Multiple Camera Modules User Guide


[Home](#) » [SCT](#) » SCT RCU2S-BA8 Multiple Camera Modules User Guide 

Contents

- [1 SCT RCU2S-BA8 Multiple Camera Modules](#)
- [2 Module Dimensions](#)
- [3 Documents / Resources](#)



SCT RCU2S-BA8 Multiple Camera Modules




The RCU2S-BA8™ supports multiple camera models:

- Angekis Saber Plus
- ClearOne Unite 750
- AVer TR311HWV2

- AVer TR313V2
- AVer TR323NV2
- AVer TR333NV2
- ClearOne Unite 200
- Huddlecam HCI0X-GY
- Huddlecam HC20X-GY/WH
- Huddlecam HC20X
- Huddlecam HC30X
- Lumens VC-B30U
- Marshall CV670-UB
- Minnray UV950A
- PTZ Optics 12X USB
- PTZ Optics 20X USB
- Sony SRG-720DU
- VDO360 Saber20X NDI
- VDO360 CompassX
- VHD V71U2
- VHD V20C
- VHD VXII0
- VHD VX710N
- VHD VX701L
- VHD VX120


Module Dimensions





RCU2S-CE™: H: 0.789" (20mm) x W: 2.264" (57mm) x D: 3.725" (94mm) RCU2S-HE™: H: 1.448" (36mm) x W: 3.814" (96mm) x D: 3.578" (90mm)

SCTLink™ Cable Specs


Integrator-Supplied CAT5e/CAT6 STP/UTP Cable T568A or T568B (100m Max Length)



RJ45 Pinout



Documents / Resources



[SCT RCU2S-BA8 Multiple Camera Modules](#) [pdf] User Guide

RCU2S-BA8, RCU2S-BA8 Multiple Camera Modules, Multiple Camera Modules, Camera Modules