


SEALEY TPS47 Storage System with 47 Bins Instructions

[Home](#) » [SEALEY](#) » SEALEY TPS47 Storage System with 47 Bins Instructions 

SEALEY TPS47 Storage System with 47 Bins Instructions



IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS AND CAUTIONS.

USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. PLEASE KEEP INSTRUCTIONS SAFE FOR FUTURE USE.

Contents

1 SAFETY

INSTRUCTIONS

2 SPECIFICATION

3 ASSEMBLY

4 Documents / Resources

4.1 References

SAFETY INSTRUCTIONS

GENERAL SAFETY

- **WARNING!** Ensure Health & Safety, local authority, and general workshop practice regulations are adhered to when using this rack.
- Locate rack in a suitable work area.
- Keep the work area clean, uncluttered and ensure there is adequate lighting.
- **WARNING!** Use rack on level and solid ground, preferably concrete.
- Keep the rack clean and tidy in accordance with good workshop practice.
- DO NOT use the rack for any purpose other than that for which it is designed.
- Keep children and unauthorised persons away from the work area.
- DO NOT climb on racking.

SPECIFICATION

Floor standing, powder coated steel racking with two sizes of plastic storage bins.

32 Small Bins: (110 x 160 x 75mm)

15 Large Bins: (150 x 235 x 125mm)


Rack Height: 1145mm

Rack Width: 940mm

Rack Depth: 285mm

Weight: 22kg

ASSEMBLY



Position the LH upright (1) and the RH upright (2) onto the upstanding spigots on the base (3) ensuring that the attached brackets (7) are facing inwards. On each upright it is the end with no internal fixings which should be dropped over each spigot. Secure each upright with two 14mm M4 bolts with a lock washer under the head of each bolt.

Attach a brace (4) between each upright (1 & 2) and the base (3) and secure each with two 14mm M4 bolts and lock washers.

Place the top (5) onto the two uprights ensuring that the uprights go into the metal sockets in the back inside corners of the top. Secure each upright with two 14mm M4 bolts and lock washers.

Bolt the seven cross braces (7) to the brackets on the inside faces of the two uprights (1 & 2). Position each cross brace onto the front faces of the adjacent brackets ensuring that the centre support fixing hole is offset to the right. Fix each cross brace with two 8mm M4 nuts and bolts at each end.

Attach the Centre Support (8) to the back of the cross braces using 14mm M4 bolts with a lock washer under the head of each bolt.

Attach the storage bins to the cross braces by pushing the rear lip on each bin over the top front edge of the cross braces.

NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

IMPORTANT: No liability is accepted for incorrect use of product.

WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

INFORMATION: For a copy of our latest catalogue and promotions call us on 01284 757525 and leave your full name and address, including postcode.

Sole UK Distributor, Sealey Group,
Kempson Way, Suffolk Business Park,
Bury St. Edmunds, Suffolk,
IP32 7AR



01284 757500



01284 703534



Web: sales@sealey.co.uk



www.sealey.co.uk



Documents / Resources



[SEALEY TPS47 Storage System with 47 Bins](#) [pdf] Instructions

TPS47 Storage System with 47 Bins, TPS47, Storage System with 47 Bins, System with 47 Bins, 47 Bins

References

- [Sealey - Leading Professional Tool & Workshop Equipment Supplier](#)
- [User Manual](#)