

# **ADA-S3 For Seaview Modular Top Plate Instruction Manual**

Home » SEAVIEW » ADA-S3 For Seaview Modular Top Plate Instruction Manual


### **Contents**

- 1 Seaview ADA-S3 For Modular Top
- Plate
- **2 PARTS INCLUDED**
- **3 TOOLS NEEDED**
- **4 OPTIONAL ACCESSORIES**
- **5 LIGHT BARS**
- **6 SPREADER KIT**
- 7 Documents / Resources
  - 7.1 References

# **SEAVIEW**//

# Seaview ADA-S3 For Modular Top Plate






## **TOOLS NEEDED**




Sudbury Elastomeric Marine Sealant is recommended. To purchase call 800-655-7922 or visit <a href="https://www.seaviewglobal.com">www.seaviewglobal.com</a>


1. Insert the four nuts into the adapter plate.



2. Apply marine adhesive sealant along the lip in the center hole on the adapter plate.




3. Route the cabling through the black rubber grommet. Be sure that the lip of the adapter plate sits in the groove on the grommet.




### TIP

Place the connector of the cable into a plastic bag. Apply Vasoline to the exterior of the plastic bag. Then try routing the connector/cable through the black rubber grommet.


4. Insert the bolts into the adapter plate as shown for your electronics.




5. Attach the satellite dome to the adapter plate, and secure it with the hardware for your electronics.




6. Attach the lower adapter plate to the Seaview mount with the eight 5/16-18 x 1" bolts and nylon washers.



7. Apply marine adhesive sealant to the circular groove on the underside of the adapter plate. Then place the adapter plate onto the lower adapter plate. Make sure that the bolt holes line up.




8. Secure the two adapter plates together with the four  $1/4-20\times1$ " bolts and nylon shoulder washers.



# **OPTIONAL ACCESSORIES**


Call 800-655-7922 or visit <u>www.seaviewglobal.com</u> for available accessories.

# **LIGHT BARS**



# **LTB-R**Fits closed dome radars.


## **LIGHT BAR TOPS**



### LTB-S

Fits 20" or smaller sat domes.

### **SPREADER KIT**



### SP1-MOD

Allows users to mount GPS units or antennas onto a Seaview Modular Mount.

### **EUROPEAN OFFICE**

Tel: +33 4 94 53 27 70 www.seaviewprogress.com

### **Documents / Resources**



<u>SEAVIEW ADA-S3 For Seaview Modular Top Plate</u> [pdf] Instruction Manual ADA-S3 For Seaview Modular Top Plate, ADA-S3, For Seaview Modular Top Plate, Seaview Modular Top Plate, Top Plate, Plate

## References

- M Seaview | Leaders In Mounting Solutions For Marine Electronics
- Profitez des meilleurs équipements pour votre bateau
- User Manual