



SECOMP 12021108 Type C to USB 3.0×3 Gigabit Ethernet Adapter User Manual

[Home](#) » [SECOMP](#) » SECOMP 12021108 Type C to USB 3.0×3 Gigabit Ethernet Adapter User Manual 

SECOMP 12021108 Type C to USB 3.0×3 Gigabit Ethernet Adapter

Contents

- [1 DEAR CUSTOMER](#)
- [2 INTRODUCTION](#)
- [3 FEATURES](#)
- [4 SPECIFICATIONS](#)
- [5 PACKAGE CONTENTS](#)
- [6 OPERATION](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

INTRODUCTION

This is a USB 3.1 Type-C to three USB 3.0 ports with Gigabit Ethernet port, designed for connecting three USB devices or hubs to a host computer. Besides, the host computer can easily get access to the network through the Gigabit Ethernet port. It can be used with MacBook or Google Chromebook Pixel and other USB-C supported devices.

FEATURES

- Support USB-C, USB3.0, Gigabit Ethernet port
- Max 900mA per port (only one port is connected), when two or more ports are connected at the same time, the total max output depends on the host PC (eg, max 900mA on Chromebook, max 1.5A on Macbook)
- Support USB 3.0 super speed (5Gbps) transmission, downward compatible USB2.0
- USB 3.0 port supports to charge and transmit data for the USB device simultaneously

- Support 10/100 /1000Mbps bandwidth
- Support twisted pair crossover detection and auto-correction
- USB-C port supports plug and play, hot swap
- Easy to carry and use

SPECIFICATIONS

Input/Output Connector	
Input port	Type-C Malex1, RJ45x1
Output port	USB 3.0 Femalex3
Physical	
Weight	64g
Size	95x45x13(mm)
Environmental	
Operating Temperature	0°C~45°C
Operating Humidity	10% ~ 85 % RH (no condensation)
Storage Temperature	-10°C~ 70°C
Storage Humidity	5% ~ 90 % RH (no condensation)
Power Requirement	
Power Source	USB bus power

PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1

- User Manual x1

OPERATION

1. Connect the USB-C male port of this product to the Notebook.
2. Connect the three USB3.0 ports to three USB devices
3. Connect Gigabit Ethernet port of this product to Ethernet Router with an Ethernet cable.



Documents / Resources

<div><p>Type-C to USB 3.0x3 Gigabit Ethernet Adapter User Manual</p><p>DEAR CUSTOMER</p><p>This manual provides detailed information for the correct use of the product and its functions. Please read this manual carefully before using the product. Please keep this manual for future reference.</p><p>1.0 INTRODUCTION</p><p>This manual is for the SECOMP Type C to USB 3.0x3 Gigabit Ethernet Adapter. It provides detailed information about the product's features, functions, and usage. Please read this manual carefully before using the product.</p><p>2.0 FEATURES</p><ul style="list-style-type: none">• Supports USB 3.0x3 data transfer rate up to 10Gbps.• Supports Gigabit Ethernet data transfer rate up to 1000Mbps.• Supports Windows 10, Windows 8.1, Windows 7, and Linux.• Supports Mac OS 10.10 and later.• Supports 24-hour hot-plug and hot-swap.• Supports 24-hour power-on and power-off.• Supports 24-hour on and off.• Supports 24-hour on and off.</div>	<p>SECOMP 12021108 Type C to USB 3.0x3 Gigabit Ethernet Adapter [pdf] User Manual 12021108, Type C to USB 3.0x3 Gigabit Ethernet Adapter, 12021108 Type C to USB 3.0x3 Gigabit Ethernet Adapter, USB 3.0x3 Gigabit Ethernet Adapter, Gigabit Ethernet Adapter, Ethernet Adapter, Adapter</p>
---	--