

SEGO CNTR Modular Lightbox Display Installation Guide

Contents

1 SEGO COUNTER

1.1 SEGO MODULAR LIGHTBOX DISPLAY PRODUCT CODE: SEGO-CNTR

1.1.1 PARTS LIST

1.1.2 SET UP INSTRUCTIONS

1.2 3.3 X 3.3FT. SEGO MODULAR LIGHTBOX DISPLAY

1.2.1 INSIDE WIRING

2 Documents / Resources

2.1 References

3 Related Posts

SEGO COUNTER

SEGO MODULAR LIGHTBOX DISPLAY PRODUCT CODE: SEGO-CNTR



On frame On graphic





PRODUCT DESCRIPTION

The advanced technology of the new SEGO modular lightbox system combines innovation with intuition. Toolless down to its feet, SEGO is designed to help heighten your display experience. Magnetic electrical connectors light up the UL certified LED lights that come pre-installed in the profiles. Electrical wires stay hidden from view. Edge-to-edge customizable SEG backlit fabric graphics cover the front and back of the aluminum frame. Portable, configurable, desirable, SEGO is a lightbox unlike the others. SEGO is so well thought out, even its durable foam cut carry bag is made distinctly to keep all parts and pieces protected and organized.

DISPLAY DIMENSIONS	39"W x 39"H x 16.5"D
GRAPHIC SIZE	39.625"W x 39.75"H
COUNTER TOP DIMS	40.5" W x 11.75" D x .6"H
COUNTER WEIGHT LIMIT	11 lbs

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Silicone beading sewn onto edge of graphic

DISPLAY CONSTRUCTION

Aluminum extrusion frame with plastic components

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	28.5 lbs (frame only) 30.5 lbs (frame & graphic)
Shipping Dimensions	45.5"W x 15.5"H x 6.75"D

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 6 sets)

AVAILABILITY	CA
--------------	----

LED LIGHT SPECIFICATION	
BRAND	Osram
POWER	3W
CCT (COLOR TEMP)	6800k
AVERAGE BEAM ANGEL	20 °
LM/W	130
AVG LM/M ²	4800-5800
VOLTAGE INPUT	24V

TRANSFORMER SPECIFICATION	
POWER RATE 2 TRANSFORMERS	95W, 252W
CERTIFICATES	UL, CE, GEM
VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V

LUMENS	
VOLTAGE (V)	24
POWER (W)	45
LM/W	130
TOTAL LM	5850
AVG LM	5850
CU	.8
EAV	4680



TOOL FREE ASSEMBLY



MAGNETIC WIRE CONNECTION







WOODEN COUNTERTOP




TOOL FREE FOOT CONNECTION

PARTS LIST


		
(qty 1) Horizontal Profile Bottom	(qty 1) Horizontal Profile Top	(qty 2) Vertical Profile
		
(qty 1) Mid Pole	(qty 2) Feet	(qty 1) Transformer
		
(qty 1) S Cable	(qty 1) Counter Top	(qty 1) Travel Bag

SET UP INSTRUCTIONS


(1)




(2)




(3)



(4)




(5)



3.3 X 3.3FT. SEGO MODULAR LIGHTBOX DISPLAY

INSIDE WIRING







Close Ups



S -Cable



1. Has 2 points of exits and entries for the white cables.
So you can choose to connect frame from either left or right.



1. Finally Connect S-Cable to transformer
2. close up

3.3 X 3.3FT. SEGO will need (1) Small transformer – 96 watts

Documents / Resources



[SEGO CNTR Modular Lightbox Display](#) [pdf] Installation Guide
CNTR Modular Lightbox Display, CNTR, Modular Lightbox Display, Lightbox Display, Display

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.