



# SEI ROBOTICS SH5BFAX Remote Control User Guide

[Home](#) » [SEI ROBOTICS](#) » SEI ROBOTICS SH5BFAX Remote Control User Guide 

## Contents


- [1 SEI ROBOTICS SH5BFAX Remote Control](#)
- [2 QUICK GUIDE](#)
- [3 DEVICE INFORMATION](#)
- [4 SETUP DIAGRAM](#)
- [5 REMOTE CONTROL](#)
- [6 SPECIFICATION](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)




**SEI ROBOTICS SH5BFAX Remote Control**




## QUICK GUIDE



## DEVICE INFORMATION



## SETUP DIAGRAM



## REMOTE CONTROL



### Do more on your TV with your voice

Search for shows, get recommendations, even control your TV — faster — with your voice. Ask Google for a little help on your big screen.

## REMOTE CONTROL




### Pairing guide

Long press Back+Home button at the same time, until the red light flashes quickly, then release, that means RCU enter the pairing mode. Waiting for few seconds and stop pressing any buttons, until it pop up the message of pairing successfully.

## ANDROID TV


## Complete the on-screen setup

Follow the on-screen instructions using your remote to navigate through the setup process.



## ANDROID TV

Android TV brings a world of content to your biggest screen. Ask Google to search for the latest blockbuster, stream shows, or open multiplayer games. Have it dim the lights by connecting smart home devices. Manage tasks and see your calendar. Or ask it questions and see the answers on your TV. Press the Google Assistant button on your remote to talk to Google.



## SPECIFICATION

Hardware	
Chipset	Amlogic S905X4
RAM	2GB
Flash	eMMC 16GB
Video	
Video Decoding	<ul style="list-style-type: none"><li>- AV1 MP-10@L5.1 upto 4Kx2K@60fps</li><li>- VP9 Profile-2 upto 4Kx2K@60fps</li><li>- H.265 HEVC MP-10@L5.1 upto 4Kx2K@60fps</li><li>- AVS2-P2 Profile upto 4Kx2K@60fps</li><li>- H.264 AVCHP@L5.1 upto 4Kx2K@30fps</li><li>- MPEG-4 ASP@L5 upto 1080P@60fps (ISO-14496)</li><li>- WMV/VC-1SP/MP/AP upto 1080P@60fps</li><li>- AVS-P16(AVS+)/A VS-P2 JizhunProfile upto 1080P@60fps</li><li>- MPEG-2 MP/HL upto 1080P@60fps (ISO-13818)</li><li>- MPEG-1 MP/HL upto 1080P@60fps (ISO-11172)</li><li>- RealVideo 8/9/10 upto 1080P@60fps</li></ul>
Video File Format	Support *.mkv, *.wmv, *.mpg, *.mpeg, *.dat, *.avi, *.mov, *.iso, *.mp4, *.rm, *.jpg, *.bmp, *.gif etc...
Video Output	HDMI 2.1 , HDCP2.2
Aspect Ratio	Auto, Full screen
Video Resolution	4K, 1080p/i, 720p
Power	
DC Input Range	12V/1.5A
Power Consumption	Maximum 18W

## SAFETY INFORMATION



#### CAUTION!

**NOTICE:** To prevent fire and electric shock, do not expose this receiver to rain or moisture. In order to avoid any possible risk of electric shock, never attempt to open the unit. In case of the unit breaking down, repair of the unit should be carried out by qualified technicians. No part of this unit should be repaired by users.

#### WARNING!

- Place the receiver in a well-ventilated location to prevent accumulation of internal heat.
- Protect the receiver from high temperatures, humidity, water and dust.
- Do not place any objects that might damage your unit near it (e.g. liquid filled objects or candles).

Google, Google Play, YouTube, Android TV and other marks are trademarks of Google LLC.

Google Assistant is not available in certain languages and countries.

## Documents / Resources



### [SEI ROBOTICS SH5BFAX Remote Control](#) [pdf] User Guide

SH5BFAX, 2AOVU-SH5BFAX, 2AOVUSH5BFAX, SH5BFAX Remote Control, SH5BFAX, Remote Control