# Selore and S-Global LIMUC2201 USB C Adapter HDMI Hub User Guide

Home » Selore and S-Global » Selore and S-Global LIMUC2201 USB C Adapter HDMI Hub User Guide 📄

**Contents**

**Selore and S-Global LIMUC2201 USB C Adapter HDMI Hub**



USB-C Multifunctional Hub for MacBook Redouble Your MacBook's Productivity

## Structure Diagram



1. Thunderbolt
2. USB-C 3.0
3. HDMI
4. SD/ Micro SD Slot
5. USB-A 3.0
6. USB-A 3.0

## Features

1. **Thunderbott**
    1. Supports PD max input 100W;
    2. Supports transmission rate up to 40Gbps;
    3. Supports USB3.1, transmission rate up to l0Gbps backward compatible with USB3.0/2.0/l.l/1.0/;
    4. Supports DP Alt Mode 1.4, compatible with bandwidth
    5. 8. lGbps (Per Lan).
2. **USB-C 3.0**

    Up to 5Gbps transmission rate, backward compatible with USB2 .0/1.1/1.0;
3. **HDMI**
    1. Video bandwidth 6G(Max.)
    2. Supports 4K@60Hz@l0bit (Max.); 1080p@60Hz@48bil; 720p@60Hz@48bil; 3D/1080p /720p etc;
    3. Supports 8 channels, sampling rate 32 kHz/44.lkhz/48khz, LPCM, DTS, AC3 and HBR format audio;
    4. Supports HDCP 1.4 HD video content protection protocol;
4. **USB-A 3.0**

    Supports up to 5Gbps transmission rate, backward compatible with US82.0/l.1/1.0, 5V@0.9A.
5. **SD/ Micro SD Slot**

    SD supports UHS-I SDXC, SDHC, SD, MMC, RS-MMC Card, Read: 50-104M8/s; Write: 30-B0MB/s. Micro SD supports UHS-I Micro SDXC, Micro SD, Micro SDHC Card,

Read: 50-104M8/s; Write: 30-B0MB/s; US83.0 rate, supports simultaneous SD/Micro SD read and write operations (Data transfer rates are subject to the speed of the memory card.)

## Connection



## Additional Information

- **Ambient Operating Temperature:**C: to 40t:(32°F to 104°F)
- **Storage Temperature:** -20t: to 85t:(-4°F to 185°F)
- **Ambient Operating Humidity:** 20%-90%RH
- **Storage Humidity:** 5%-95%RH

## What You Can Get In the Box?



Multifunctional Hub                    User Guide

**The tips can't solve my problem, or I have more questions.**
If you encounter any problem during using our product, please contact us through amazon's after-sale service or our
**e-mail : support0l@seloretech.com** we will help you solve any problem.



HIGH-DEFINITION MULTIMEDIA INTERFACE
The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

## Documents / Resources

| | **Selore and S-Global LIMUC2201 USB C Adapter HDMI Hub** [pdf] User Guide<br>LIMUC2201 USB C Adapter HDMI Hub, LIMUC2201, USB C Adapter HDMI Hub, Adapter HDMI Hub, HDMI Hub |
|---|---|

## References

- **User Manual**