


Selore global B08SC432PX USB-C Multi functional Hub User Guide

Home » Selore global » Selore global B08SC432PX USB-C Multi functional Hub User Guide 🖺





The User Guider for ASIN: BO8SC432PX **Product Manual USB-C Multi-functional HUB**




Contents

- **1 Product Introduction**
- 2 Structure Diagram
- 3 Feature
- **4 Connection**
- **5 Graphics Settings for Windows**
- 10
- **6 Graphics Settings for Mac**
- 7 FAQ
- 8 Documents / Resources
- 9 Related Posts


Product Introduction

The multi-functional USB-C hub adds multiple connections to your Macbook and other USB-C laptops just by using one USB-C port. It features 2xHDMI, DP, VGA, and 3xUSB2.0 slots to your computer. It's your all-in-one solution to connect all your peripherals, support plug and play.

Structure Diagram



- 2. **HDMI** 2
- 3. DP
- 4. VGA
- 5. USB2.0



Feature


1. HDMI 1 video output:

while source is DP 1.2)

- 2. HDMI 2 video output: Up to 4Kx2K 30Hz / 3840×2160 max.
- 3. DP: 4Kx2K @60Hz / 3840×2160
- 4. VGA: Up to 1080P 60Hz
- 5. 3x USB-A 2.0

Up to 480Mbps data speed. Design for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc.


Connection




Graphics Settings for Windows 10

1. Clone Mode


Right click desktop > Graphics Settings > Display






2. Extended Desktop(NOT supported by APPLE)

Right-click desktop > Graphics Settings > Display







Graphics Settings for Mac

1. Mirror Display


Apple logo>System Preferences >Displays






2. Extend Display

Apple logo>System Preferences > Displays





FAQ

- A. Why is there no video output?
- 1. Please make sure the USB-C port of your devices (Laptop/T tablet) support video output.
- 2. Please check if the cable is well connected.
- 3. Please use the standard HDMI cable.
- 4. Windows computer with Intel graphics card only supports two external monitors at most.
- B. Why is there no audio output from HDMI?
- 1. Please make sure your monitor support audio output function.
- 2. Please set the external monitor as default audio output device.
- C. What should | do if the display screen drops after connecting a large current HDD/SSD? Please connect your laptop charger/adapter to the USB-C PD charging port of product.
- D. Why does the output not reach 4K 60Hz?
- 1. Please make sure your monitor support 4K 60Hz.
- 2. Please make sure the video source is 4K 60Hz.
- 3. Please make sure to use the 2.0 or higher version HDMI cable.
- 4. Please make sure your computer specification support DP1.4 signal output.



Computer Model support DP1.4 signal	Remark
MacBook Pro 2018 (15.4")	The computers supporting DP1.4 signal output depend on the specifications of computer and graphics card. This product only support 4K 60Hz for these spe cifications of computers. The output bandwidth of DP1 .2 signal is not enough to output 4K 60Hz, only availab le for 4K 30Hz.
MacBook Pro 2019 (15.4)	
MacBook Pro 2019 (16")	
iPad Pro 2018/2020	
Surface Laptop 3	
Surface Pro 7	
HP ENVY X360	
HP EliteBook 745 G5	
More models will be updated regularly	



Made in China



The terms HOM! HOM! High-Definition Multimedia interface. and the HDMI Lago are trademarks or registered trademarks of HOM! Licensing Administrator, Inc.

Any questions, please contact us at: support01@seloretech.com

Documents / Resources



<u>Selore global B08SC432PX USB-C Multi functional Hub</u> [pdf] User Guide B08SC432PX USB-C Multi-functional Hub, USB-C Multi-functional Hub, Multi-functional Hub

Manuals+,