



# Selore S-Global SE0304 USB-C Multi-Functional HUB Instruction Manual

[Home](#) » [Selore S-Global](#) » **Selore S-Global SE0304 USB-C Multi-Functional HUB Instruction Manual** 

## Contents


- 1 Selore S-Global SE0304 USB-C Multi-Functional HUB
- 2 Product Introduction
- 3 Structure Diagram
- 4 Features
- 5 Connection
- 6 Graphics Settings for window 10
- 7 Graphics Settings for Mac
- 8 F&Q
- 9 Documents / Resources
- 10 Related Posts

**Selore**  
**&S-Global**

## Selore S-Global SE0304 USB-C Multi-Functional HUB



## Structure Diagram



1. 1. DP
2. HDMI 2
3. HDMI 1
4. USB3.0
5. PD3.0
6. SD&TF Card Reader
7. USB2.0

## Features

1. 1. DP:  
4Kx2K 3840×2160 (work separately if source is DP1 .4 ) 4Kx2K 3840×2160 (work separately if source is DP1 .2 )
2. HDMI 2: 4Kx2K 30Hz / 3840×2160 max
3. HDMI 1:  
4Kx2K 60Hz / 3840×2160 (work separately while source is DP1 .4 ) 4Kx2K 30Hz / 3840×2160 (work separately while source is DP1 .2 )
4. USB 3.0:  
Data transfer speed up to 5Gbps, 5V/0.9A@4.5W.
5. PD3.0:  
Support 1 DOW power in, but charging is limited with 87W for safety.
6. SD/TF Card Slots:  
Read: 25 – 30Mbps; Write: 20 – 25Mbps; affected by card's quality.


## 7. USB 2.0:

Data transfer speed up to 480Mbps, SV/O.SA@2.SW.

### Support SST / MST

Comply with USB-C interface specification Built in conversion chip, plug and play


### Connection




### Graphics Settings for window 10

#### Clone mode


Right click desktop >Graphics Settings > Display






### Extended Desktop(NOT supported by APPLE)

Right click desktop >Graphics Settings >Display







## Graphics Settings for Mac

### Mirror Display


Apple logo>System Preferences> Displays






## Extend Display

Apple logo>System Preferences >Displays





## F&Q

### Why is there no video output ?

1. Please make sure your USB-C devices support video output.
2. Please make sure the connection is good.
3. Please use a standard HDMI cable.

### Why is there no audio output from HDMI?

1. Please make sure if there's audio output on the Monitor.
2. Please set the external monitor as default audio output device.

## Note

1. The USB-C source devices (mobile/notebook/tablet PC) must support OTG.
2. For Video output, USB-C source devices must support video output.
3. 4Kx2K@60Hz video display, need your computer support DisplayPort (DP) v1.4 (HBR3).
4. Please update Mac OS of your MacBook to Catalina (10.15.1) or above for better compatibility.

## Documents / Resources



[Selore S-Global SE0304 USB-C Multi-Functional HUB](#) [pdf] Instruction Manual  
SE0304 USB-C Multi-Functional HUB, SE0304, USB-C Multi-Functional HUB



