

SENA HJC Smart 21B Bluetooth Communication System User Manual

Home » Sena » SENA HJC Smart 21B Bluetooth Communication System User Manual



Contents


- 1 SENA HJC Smart 21B Bluetooth Communication
- **System**
- **2 OVERVIEW**
- 3 Charging
- 3.1 Power On/off
- **4 Volume Adjustment**
- **5 Battery Check**
- 5.1 Rebooting after executing Factory Reset
- **6 Music Operation**
 - 6.1 Mobile Phone Call Making and Answering
- 7 Intercom Pairing
- 8 Setting
- 9 Troubleshooting
- 10 FCC
 - 10.1 FCC RF Exposure Statement
 - 10.2 Industry Canada(1C) Statement
- 11 Documents / Resources
- 12 Related Posts



SENA HJC Smart 21B Bluetooth Communication System



OVERVIEW



Red LED: Charging

• Blue LED: Fully charged

Power On/off

- Press and hold the (+) Button and TAP Button for 1 second
- Tap the (+) Button and TAP Button.

Volume Adjustment

- (+) Button- Increase the volume
- . Button- Decrease the volume

Battery Check



initially Pairing the headset

 The headset will automatically enter the phone pairing mode when you initially turn on the headset or in the following situation

Rebooting after executing Factory Reset

- 1. Press and hold the (+) Button and (-) Button for 1 second.
- 2. Search for Bluetooth devices on your mobile phone. Select the SMART HJC 21 B in the list of the devices detected on the mobile phone.

Music Operation

- Play or pause music: Press the TAP Button for I second.
- Trackback: Press the (-) Button for I second.
- Track forward: Press the (+) Button for I second.

Mobile Phone Call Making and Answering

- Answering a call: Tap the TAP Button
- Ending a call: Press the TAP Button for 2 seconds.
- Voice dial: Press the TAP Button for 3 seconds.
- Speed dial: Press the (+) Button for 3 seconds.
- Rejecting a call: Press the (+) Button for 2 seconds. Intercom

Intercom Pairing

- 1. Press and hold the TAP Button of two headsets for 5 seconds until red LEDS of both units start to flash rapidly.
- 2. Tap the TAP Button.

Setting

- Configuration Menu: Press the TAP Button for 10 seconds.
- Using the Sena Device Manager
- Connect the headset to your computer via a USB cable. Launch the Sena Device Manager and click
- DEVICE SETTING to configure the headset settings.
- For details about downloading the Sena Device Manager, please refer to the leaflet included in the package.

Troubleshooting

Factory Reset

• If you want to restore the headset to factory default settings, use the Factory Reset in the configuration menu.

The headset automatically restores the default settings and turns off.

FCC

- Certification and Safety Approvals FCC Compliance Statement
- This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:
- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with thelimits for a Class B digital device pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not instaled and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not ocCcur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment on and off, the user is encouraged to try to correct the interference by one or more of the following measures:
- Reorient or relocate the receiving antennae
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. -Consult the dealer or an experienced radio/TV technician for help.

FCC RF Exposure Statement

- This equipment complies with FCC/IC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance.
- When equipped, the distance between antenna and one's head surface is 45mm.

FCC Caution

 Any changes or modifications to the equipment not expressly approved by the party responsible for compliance could void user's authority to operate the equipment.

Industry Canada(1C) Statement

- This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:
- 1. this device may not cause interference, and
- 2. this device must accept any interterence, including interference that may cause undesired operation of the device.
- Le present appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. Lexploitation est autorisee aux deux conditions suivantes

Documents / Resources



SENA HJC Smart 21B Bluetooth Communication System [pdf] User Manual SP132, S7A-SP132, S7ASP132, HJC Smart 21B Bluetooth Communication System, HJC Smart 21B, Bluetooth Communication System, Communication System

Manuals+,