

SENA P940767 Stryker Motorcycle Bluetooth Helmet with **Mesh Intercom User Guide**

Home » Sena » SENA P940767 Stryker Motorcycle Bluetooth Helmet with Mesh Intercom User Guide 🏗

Contents

- 1 SENA P940767 Stryker Motorcycle Bluetooth Helmet with Mesh Intercom
- 2 Downloadable Sena Software
- **3 Product Details**
- 4 Putting on the Helmet
- **5 Using the Phone**
- 6 Mesh Intercom™
- 7 FM Radio
- 8 You can control the LED taillight through Troubleshooting
- 9 Quick Reference
- 10 Documents / Resources
 - 10.1 References
- 11 Related Posts



SENA P940767 Stryker Motorcycle Bluetooth Helmet with Mesh Intercom



Downloadable Sena Software

Download the SENA MOTORCYCLES App on Google Play Store or App Store.

SENA MOTORCYCLES

- Wi-Fi-Enabled for Automatic Firmware Update
- Device Configuration Setting


Download the following items at sena.com or on the SENA MOTORCYCLES App.




Quick Start Guide, User's Guide

Follow us on Facebook, YouTube, Twitter and Instagram to check the latest information and helpful tips.

Product Details






Putting on the Helmet

- 1. Unfasten the chinstrap by using the retention system.
- 2. Expand the helmet opening with your hand, and slide your head into the helmet.
- 3. Fasten the chinstrap as tight as possible without causing you pain.

Icon Legend








"Hello"

Audible prompt

Basic Operations Powering On



Checking the Battery Level



Phone Pairing

When you initially turn on the Bluetooth system:




② Select Stryker in the list of Bluetooth devices detected.



Note:

- The phone pairing mode lasts for 3 minutes.
- To cancel phone pairing, tap the Center Button.
- For more information on phone pairing, refer to the User's Guide.

Using the Phone




Siri and Google Assistant

Activate the Siri or Google Assistant Installed on Your Phone




Music Control Play/Pause




Mesh Intercom™

- Open Mesh™: communication within the same channel.
- Group Mesh™: communication within the same private group.
- For more information on Mesh Intercom, refer to the User's Guide.



Note: When Mesh Intercom is on, the Stryker will automatically connect to nearby Stryker users and the Bluetooth system will be in Open Mesh (default: channel 1) initially.\

Open Mesh



Channel Setting (Default: channel 1) in Open Mesh ① Enter into the Channel Setting.


Note: You can use the SENA MOTORCYCLES App to change the channel.

Group Mesh

Group Mesh is a closed group intercom function that allows users to join, leave, or rejoin a group intercom conversation without pairing each Bluetooth system.

1) Creating a Group Mesh

Creating a Group Mesh requires two or more Open Mesh users.



Creating a Group Mesh requires two or more Open Mesh users. Open Mesh Group Mesh

1. Users (You, B, and C) enter into Mesh Grouping to create a Group Mesh.




2. When Mesh Grouping is completed, the users (You, B and C) will hear a voice prompt on their Bluetooth system as Open Mesh switches to Group Mesh.



Joining an Existing Group Mesh

One of the current users in an Existing Group Mesh can allow new users (one or more) in Open Mesh to join the Existing Group Mesh.



1. One (You) of the current users in the Existing Group Mesh and new users (D and F) in Open Mesh enter into Mesh Grouping to join the Existing Group Mesh.



2. When Mesh Grouping is completed, the new users (D and F) will hear a voice prompt on their Bluetooth system

as Open Mesh switches to Group Mesh.



Enable/Disable Mic (Default: Enable)

Users can enable/disable the microphone when communicating in a Mesh Intercom.



Reset Mesh

If a Bluetooth system in an Open Mesh or Group Mesh resets the Mesh, it will automatically return to Open Mesh (default: channel 1).



Bluetooth Intercom

Up to three other people can be paired with the Bluetooth system for Bluetooth intercom conversations.



Intercom Pairing

There are two ways to pair the Bluetooth system.

Using the Smart Intercom Pairing (SIP)

SIP allows you to quickly pair with your friends for intercom communication by scanning the QR code on the SENA MOTORCYCLES App without remembering the button operation.

- 1. Pair the mobile phone with the Bluetooth system.
- 2. Open the SENA MOTORCYCLES App and tap (Smart Intercom Pairing Menu).
- 3. Scan the QR code displayed on your friend (B)'s mobile phone.
 - Your friend (B) can display the QR code on the mobile phone by tapping > QR code () on the SENA MOTORCYCLES App.




- 4. Tap Save and check that your friend (B) is paired with you (A) correctly.
- 5. Tap Scan () and repeat steps 3-4 to pair with Intercom Friends (C) and (D).

Note: The Smart Intercom Pairing (SIP) is not compatible with Sena products that use Bluetooth 3.0 or below.

Using the Button



1 Users (You, B) enter into Intercom Pairing.



③ Repeat the steps above to pair with other Bluetooth systems (C and D).

Last-Come, First-Served

If a Bluetooth system has multiple paired Bluetooth systems for intercom conversations, the last paired Bluetooth system is set as the First Intercom Friend.

Intercom Pairing Order

Last-Come, First-Served



Two-way Intercom

Start/End Conversation with the First Intercom Friend D



Start/End Conversation with the Second Intercom Friend C



Start/End Conversation with the Third Intercom Friend B



FM Radio

FM Radio On/Off



Seek Forward





Start/Stop Scanning

Seek Backward





Navigating Preset Stations






Note: You can also save the current statigh the SENA MOTORCYCLES App.

Mode: Solid / Night Flash / Day Flash / Off

Configuration Menuon from the SENA MOTORCYCLES App.

LED Taillight




Configuration Menu

You can control the LED taillight through

Accessing the Configuration Menu



Navigating Between Menu Options




Execute Menu Options




Troubleshooting

Factory Reset




Factory Reset



Note: Fault Reset will not restore the Bluetooth system to the factory default settings.

Quick Reference







<u>SENA P940767 Stryker Motorcycle Bluetooth Helmet with Mesh Intercom</u> [pdf] User Guide P940767 Stryker Motorcycle Bluetooth Helmet with Mesh Intercom, P940767, Stryker Motorcycle Bluetooth Helmet with Mesh Intercom

References

• 5 The Best Motorcycle & Action Sport Bluetooth Devices | Sena

Manuals+,