



SENA SP93 U-COM 16 Double Pack Motorcycle Intercom User Manual

[Home](#) » [Sena](#) » SENA SP93 U-COM 16 Double Pack Motorcycle Intercom User Manual 

Contents


- [1 SENA SP93 U-COM 16 Double Pack Motorcycle Intercom](#)
- [2 Installation](#)
- [3 Battery Check](#)
- [4 Phone, Music Pairing](#)
- [5 Music Operation](#)
- [6 Intercom Pairing](#)
- [7 Intercom Start/End](#)
- [8 Radio On/Off](#)
- [9 Setting](#)
- [10 Troubleshooting](#)
- [11 FCC Statment](#)
- [12 Documents / Resources](#)
- [13 Related Posts](#)

SENA

SENA SP93 U-COM 16 Double Pack Motorcycle Intercom




Installation



- **Charging**
 - **Red LED:** Charging
 - **Blue LED:** Fully charged
- **Power On/Off**
 - **Power On :** Music & Volume + Button + Intercom Button for 1 sec
 - **Power On :** Tap the Music & Volume + Button + Intercom Button.
- **Volume Adjustment**
 - Music & Volume + Button – Increase the volume
 - Phone & Volume – Button – Decrease the volume

Battery Check



Phone, Music Pairing

1. To access Configuration Menu, press and hold the Intercom Button for 10 second.
2. To enter Phone Pairing, tap the Music & + Button for 1 second.
3. Search for Bluetooth devices on your mobile phone. Select the headset in the list of the devices detected on the mobile phone.
4. Enter 0000 for the PIN. Some mobile phones may not ask for the PIN.

Music Operation

- **Play music:** Press the Music & Volume + Button for 1 second.
- **Pause music:** Press the Music & Volume + Button for 2 second.
- **Track back:** Double tap the Phone & Volume – Button.
- **Track forward:** Double tap the Music & Volume+ Button.

Mobile Phone Call Making and Answering

- Answering a call: Press the Phone & Volume – Button for 1 second.
- Ending a call: Press the Phone & Volume – Button for 2 seconds.
- Speed dial: Press the Phone & Volume – Button for 3 seconds.
- Rejecting a call: Press the Phone & Volume – Button for 2 seconds.

Mesh Intercom On/Off Tap the Intercom Mesh Button.

Intercom Pairing

1. Press and hold the Intercom Button of two Bluetooth systems for 5 seconds until red LEDs of both units start to flash rapidly.
2. The two headsets will be automatically paired.

Intercom Start/End

- 1st Friend: Tap the Intercom Button once.
- 2nd Friend: Tap the Intercom Button twice.
- 3rd Friend: Tap the Intercom Button triple times

Radio On/Off

- Turn on the FM radio: Press the Music & Volume + Button for 3 seconds.
- Turn off the FM radio: Press the Music & Volume + Button for 3 seconds.

Radio Move to Preset Station

- **Next station:** Double-tap the Music & Volume + Button.
- **Previous station:** Double-tap the Phone & Volume – Button.

Setting

Configuration Menu: Press the Intercom Button for 10 seconds.

Using the Device Manager Connect the headset to your computer via a USB cable. Launch the Device Manager and click DEVICE SETTING to configure the headset settings. For details about downloading the Sena Manager, please refer to the leaflet included in the package.

Troubleshooting

Factory Reset If you want to restore the headset to factory default settings, use the Factory Reset in the configuration menu. The headset automatically restores the default settings and turns off.

FCC Statment

Certification and Safety Approvals FCC Compliance Statement This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment on and off, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antennae
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC RF Exposure Statement This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. The antenna used for this transmitter must not transmit simultaneously with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. When equipped, the distance between antenna and one's head surface is 35mm.

FCC Caution Any changes or modifications to the equipment not expressly approved by the party responsible for

compliance could void user's authority to operate the equipment.

Documents / Resources

	<p>SENA SP93 U-COM 16 Double Pack Motorcycle Intercom [pdf] User Manual SP93, S7A-SP93, S7ASP93, SP93 U-COM 16 Double Pack Motorcycle Intercom, U-COM 16 Double Pack Motorcycle Intercom, Motorcycle Intercom, Intercom</p>
---	---