



Senceive FM3GF Mesh Network Gateway Instructions

[Home](#) » [Senceive](#) » Senceive FM3GF Mesh Network Gateway Instructions 

Contents

- [1 Senceive FM3GF Mesh Network Gateway](#)
- [2 FCC](#)
- [3 Documents / Resources](#)
- [4 Related Posts](#)

Senceive

Senceive FM3GF Mesh Network Gateway



FCC

Antenna types not included in this list that have a gain greater than the maximum gain indicated for any type listed are strictly prohibited for use with this device.

- The maximum gain of an antenna that is permitted to be used with the device is a 4dBi 50-ohm dipole for the 2.4 GHz radio
- The cellular radio shall be used with the supplied OS-LTE-11-C0 antenna.

Canada

This radio transmitter 24373-FM3GF has been approved by Innovation, Science and Economic Development Canada to operate with the antenna types listed below, with the maximum permissible gain indicated. Antenna types not included in this list that have a gain greater than the maximum gain indicated for any type listed are strictly prohibited for use with this device.

- The maximum gain of an antenna that is permitted to be used with the device is a 4dBi 50-ohm dipole for the 2.4 GHz radio
- The cellular radio shall be used with the supplied OS-LTE-11-C0 antenna.

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic

Development Canada’s license-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device

The safe distance for human exposure to electromagnetic field is 20 cm.

Documents / Resources

	<p>Senceive FM3GF Mesh Network Gateway [pdf] Instructions FM3GF, 2AMFBFM3GF, FM3GF, Mesh Network Gateway</p>
---	--