ter SCM-CLX-RGBW-SS RGBW Courtesy Light





Shadow-Caster SCM-CLX-RGBW-SS RGBW Courtesy Light **Instruction Manual**

Home » shadow-caster » Shadow-Caster SCM-CLX-RGBW-SS RGBW Courtesy Light Instruction Manual



Contents

- 1 Shadow-Caster SCM-CLX-RGBW-SS RGBW Courtesy Light
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 DESCRIPTION**
- **5 SPECIFICATIONS**
- **6 LIGHT OUTPUT PATTERN**
- **7 MOUNTING INSTRUCTIONS**
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts



Shadow-Caster SCM-CLX-RGBW-SS RGBW Courtesy Light



Specifications

• Product Model: SCM-CLX-RGBW-SS

Product Type: Front Facing Courtesy Light

• Version: 2024.01

Product Usage Instructions

Single Color Lighting

- To set the CLX Courtesy Light to illuminate in a single color (red, green, blue, or white), simply ground the corresponding wire color.
- For example, to set the light to green only ground the green wire.

Two Color Lighting

- To set the CLX Courtesy Light to illuminate with two colors, connect the selected color wiring to a 3-position switch.
- For example, to achieve a blue-white configuration, connect the blue and white wires to the switch.

Full RGBW Lighting

- To set the CLX Courtesy Light to illuminate with the full-color spectrum, connect all wires to a Shadow-Caster lighting controller.
- In this example, the connection is made to the Single Zone Lighting Controller (SCM-SZ-RGB).
- However, it could also be connected to the Light Commander series controllers (SCM-LC-N2K series).

Mounting Instructions

- 1. Find a flat spot to mount the CLX Courtesy Light.
- 2. Print the mounting template and tape it to your preferred mounting location.
- 3. Drill the pilot holes and center holes according to the dimensions specified in the template.
- 4. Apply a marine sealant around the base and mounting hardware.
- 5. Use Perma-Seal connectors for the wiring.
- 6. Install the stainless steel cover by snapping it into place over the top of the courtesy light to conceal the mounting hardware.

FAQ

Q: How do I set the CLX Courtesy Light to illuminate in a specific color?

- A: To set the light to a specific color, ground the corresponding wire color.
 - For example, to set it to green, ground the green wire.

Q: Can I have the CLX Courtesy Light illuminated with two colors?

• A: Yes, you can connect the selected color wiring to a 3-position switch to achieve two-color lighting.

Q: How do I achieve full RGBW lighting with the CLX Courtesy Light?

A: Connect all wires to a Shadow-Caster lighting controller, such as the Single Zone Lighting Controller (SCM-SZ-RGB) or Light Commander series controllers (SCM-LC-N2K series).

DESCRIPTION


- The Shadow-Caster® CLX Courtesy Light is an innovative solution for lighting accent and functional areas of your vessel.
- These front-facing lights have a true white channel for plenty of light efficiency, are waterproof, and are designed with a low profile to create a seamless look on your boat.
- Beautifully light your boat's steps, coves, shelves, compartments, and work areas with our CLX Courtesy Lights.

SPECIFICATIONS

- Up to 80 lumens of white light
- Current draw 50mA for each channel (red, green, blue, and white)
- 12V DC, 300mA max current
- 1.5W max power dissipation
- UV-stabilized polycarbonate housing
- · Stainless steel 316 polished bezel
- IP67 water-resistant design
- 5 conductor RGBW wire
- 3" x 1" x 0.32" [76.2 x 25.4 x 8.13mm]

LIGHT OUTPUT PATTERN

• The Shadow-Caster® CLX Courtesy Light provides an extra wide 160° angle of illumination to efficiently light your boat's steps, coves, shelves, compartments, and work areas.




OPERATION, WIRING & USE SCHEMATICS

- The CLX RGBW has four independent color channels: red, green, blue, and a true 6000 Kelvin CCT white.
- Depending on the desired application, the light can be used as a single-color light, a two-color light with a switch, or used with Shadow-Caster® lighting controllers for dimming and full-color control.


SINGLE COLOR LIGHTING

- To set the CLX Courtesy Light to illuminate in a single color (red, green, blue, or white), simply ground the corresponding wire color.
- This example shows the green wire is grounded, fixing the color to green only.




TWO COLOR LIGHTING

- To set the CLX Courtesy Light to illuminate with two colors, connect the selected color wiring to a 3-position switch.
- This example shows a blue-white configuration.




FULL RGBW LIGHTING

- To set the CLX Courtesy Light to illuminate with the full-color spectrum, connect all wires to a Shadow-Caster lighting controller.
- This example shows the connection to the Single Zone Lighting Controller (SCM-SZ-RGB). A connection could instead be made to the Light Commander series controllers (SCM-LC-N2K series).



MOUNTING INSTRUCTIONS

- 1. Find a flat spot to mount the CLX Courtesy Light.
- 2. Print the mounting template and tape it to your preferred mounting location.
- 3. Drill the pilot holes and center holes.
- 4. Use a marine sealant around the base and mounting hardware.
- 5. Use Perma-Seal connectors for the wiring.
- 6. Install the stainless steel cover. This will snap into place over the top of the courtesy light to conceal the mounting hardware.




MOUNTING TEMPLATE & DIMENSIONS

IMPORTANT!

When printing installation templates, please ensure your printer is set to print at 'Actual Size' and double-check check all printed dimensions exactly match the specified dimensions.

SCALE 1:1



- · Designed & Manufactured in Clearwater, FL
- © 2024 Shadow-Caster® LEDs. All rights reserved.
- Shadow-Caster® LED Lighting
- 2060 Calumet Street, Clearwater, FL 33765
- p: +1 727.474.2877 e: info@shadow-caster.com
- shadow-caster.com

Documents / Resources



Shadow-Caster SCM-CLX-RGBW-SS RGBW Courtesy Light [pdf] Instruction Manual SCM-CLX-RGBW-SS, SCM-CLX-RGBW-SS RGBW Courtesy Light, RGBW Courtesy Light, Courtesy Light, Light

References

- <u>Paster.com</u>
- ED Lighting for Boats & Yachts | Shadow-Caster
- ELED Lighting for Boats & Yachts | Shadow-Caster

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.